

ACTION SERIES			lista nettó HUF
Model	Code	Description	
<u>ACTION SERIES EXTERNALLY POWERED</u>			
ACTION-508	10427240	Passive, 150 W, 8", 2 way full-range, 80x80 horn, black	122 500
ACTION-512	10427246	Passive, 300 W, 12", 2 way full-range, 80x50 rotatable horn, black	165 000
ACTION-M512	10427243	Passive, 300 W, 12", 2 way full-range, stage monitor, 80x50 rotatable horn, black	197 500
ACTION-515	10427249	Passive, 350 W, 15", 2 way full-range, 80x50 rotatable horn, black	202 000
ACTION-525	10427252	Passive, 700 W, 2x15", 2 way full-range, 80x50 rotatable horn, black	284 000
ACTION-S18	10427255	Passive, 600 W, 18", bass-reflex subwoofer, black	262 000
ACTION-S218	10427261	Passive, 1200 W, 2x18", bass-reflex subwoofer, black	371 500
<u>ACTION SERIES POWERED</u>			
ACTION-508A	10427241	Powered, 360 W, 8", 2 way full-range, 80x80 horn, black	248 000
ACTION-512A	10427247	Powered, 360 W, 8", 2 way full-range, 80x80 horn, black	294 500
ACTION-M512A	10427244	Powered, 500 W, 12", 2 way full-range, 80x50 rotatable horn, black	314 000
ACTION-515A	10427250	Powered, 500 W, 12", 2 way full-range, 80x50 rotatable horn, black	322 000
ACTION-525A	10427253	Powered, 500 W, 12", 2 way full-range, stage monitor, 80x50 rotatable horn, black	397 000
ACTION-S18A	10427256	Powered, 500 W, 12", 2 way full-range, stage monitor, 80x50 rotatable horn, black	429 500
ACTION-S118A	10427259	Powered, 500 W, 15", 2 way full-range, 80x50 rotatable horn, black	628 500
ACTION-S218A	10427262	Powered, 500 W, 2x15", 2 way full-range, 80x50 rotatable horn, black	633 000
<u>ACCESSORIES</u>			
ANL-1	10101010	Set of 4 M8x13 forged steel eyebolts+4 carabiners, for flying	9 000
ANL-2	10101020	Set of 4 M10x40 forged steel eyebolts+4 carabiners, for flying	16 000
AX-SPG1	10105050	28 mm TV clamp spigot adapter with M10 thread for AXU/AXF brackets	8 500
AXC-AT	10104310	C-clamp for using mounts with lighting truss	17 500
AXU-ACT8	10104600	"U" bracket, wall/ceiling/truss/TRD-2/TRD-6, for ACTION-8/ACTION-8A, black	21 500
AXU-ACT512	10104605	"U" bracket wall/ceiling/truss/tripod for ACTION-512/ACTION-512A, VANTEC-12/VANTEC-12A, black	34 500
FUN-ACT8	10103580	Protective transport cover for 1 u. ACTION-8/ACTION-8A, black	18 000
FUN-VT12	10103710	Protective transport cover for 1 u. VANTEC-12/VANTEC-12A, ACTION-512/ACTION-512A, black	25 500
FUN-VT15	10103720	Protective transport cover for 1 u. VANTEC-15/VANTEC-15A, ACTION-515/ACTION-515A, black	29 500
FUN-ACTM12	10103530	Protective transport cover for 1 u. ACTION-M512/ACTION-M512A, black	23 500
FUN-VT215	10103730	Protective transport cover for 1 u. VANTEC-215/VANTEC-215A, ACTION-215/ACTION-215A, black	40 000
FUN-VT18	10103740	Protective transport cover for 1 u. VANTEC-18/VANTEC-18A/ALTEA-715/ALTEA-718A/ACTION-S18/ACTION-S18A, black	36 000
FUN-ACT118	10103570	Protective transport cover for 1u. ACTION-S118A, black	49 500
FUN-ACT218	10103560	Protective transport cover for 1u. ACTION-S218/ACTION-S218A, black	40 000
FUN-TRD2	10103040	Protective transport cover for TRD-2, black	16 000
SPK4-1	20502000	1m speaker cable, 4x(2.5mm2), 2xNL4	8 000
SPK4-10	20502001	10m speaker cable, 4x(2.5mm2), 2xNL4	18 000
SPK4-20	20502002	20m speaker cable, 4x(2.5mm2), 2xNL4	28 000
TRD-2	10104010	Aluminum speaker stand for all models with 35mm pole mount socket, black	37 500
TRD-6	10104470	Ring lock pole mount for use between satellite and sub system, black	35 000
TRD-7	10104471	Ring lock pole mount adjustable height (1005 mm – 1485 mm) for use between satellite and sub systems, black	59 500
<u>ALTEA SERIES</u>			
Model	Code	Description	
<u>ALTEA SERIES EXTERNALLY POWERED</u>			
ALTEA-412	10404920	Passive, 300 W, 12", 2 way full-range, polypropylene enclosure, 90x60 horn, black	138 500
ALTEA-415	10404850	Passive, 350 W, 15", 2 way full-range, polypropylene enclosure, 90x60 horn, black	146 500
ALTEA-712	10404890	Passive, 500 W, 12", 2 way full-range, polypropylene enclosure, 90x60 horn, black	175 500
ALTEA-715	10404820	Passive, 500 W, 15", 2 way full-range, polypropylene enclosure, 90x60 horn, black	190 000
ALTEA-718	10404980	Passive, 600 W, 18", long excursion bass-reflex subwoofer, black	268 000
<u>ALTEA SERIES POWERED</u>			
ALTEA-412A	10404915	Powered, 400 W, 12", 2 way full-range, polypropylene enclosure, 90x60 horn, LCD control interface, 115 V/230 V, black	208 000
ALTEA-415A	10404845	Powered, 400 W, 12", 2 way full-range, polypropylene enclosure, 90x60 horn, LCD control interface, 115 V/230 V, black	226 000
ALTEA-712A	10404880	Powered, 700 W, 12", 2 way full-range, polypropylene enclosure, 90x60 horn, LCD control+wireless, black	324 000
ALTEA-715A	10404810	Powered, 700 W, 15", 2 way full-range, polypropylene enclosure, 90x60 horn, LCD control+wireless, black	351 500
ALTEA-718A-115	10404970	Powered, 600 W, 18", long excursion bass-reflex subwoofer, 115 V, black	438 000
ALTEA-718A-230	10404960	Powered, 600 W, 18", long excursion bass-reflex subwoofer, 230 V, black	438 000
<u>ACCESSORIES</u>			
ANL-2	10101020	Set of 4 M10x40 forged steel eyebolts+4 carabiners, for flying	16 000
FUN-AL712	10103780	Protective transport cover for 1 u. ALTEA-412/ALTEA-412A/ALTEA-712/ALTEA-712A, black	10 500
FUN-AL715	10103781	Protective transport cover for 1 u. ALTEA-415/ALTEA-415A/ALTEA-715/ALTEA-715A, black	12 000
FUN-VT18	10103740	Protective transport cover for 1 u. VANTEC-18/VANTEC-18A, black	36 000
SPK4-1	20502000	1m speaker cable, 4x(2.5mm2), 2xNL4	8 000
SPK4-10	20502001	10m speaker cable, 4x(2.5mm2), 2xNL4	18 000
SPK4-20	20502002	20m speaker cable, 4x(2.5mm2), 2xNL4	28 000
TRD-2	10104010	Aluminum speaker stand for all models with 35mm pole mount socket, black	37 500
TRD-6	10104470	Ring lock pole mount for use between satellite and sub system, black	35 000
TRD-7	10104471	Ring lock pole mount adjustable height (1005 mm – 1485 mm) for use between satellite and sub systems, black	59 500

AERO SERIES 2 UX SERIES		
Model	Code	Description
AERO SERIES 2 UX SERIES POWERED		
AERO-20A	10420350	Powered, 800 W (LF)+400 W (HF), 12", 2 way full-range, compact Line Array, DASnet, black
AERO-20.120A	10420370	Powered, 800 W (LF)+400 W (HF), 12", 2 way full-range, compact Line Array, 120° horizontal dispersion, DASnet, black
AERO-40A	10420310	Powered, 1000 W (LF)+500 W (MF)+500 W (HF), 12"+8"+2x3" drivers, 3 way full-range, Line Array, DASnet, black
LX-118A	10424560	Powered, 1200 W, 18", arrayable long excursion bass-reflex subwoofer, DASnet, black
LX-218CA	10424250	Powered, 2400 W, 2x18", ground-stackable long excursion bass-reflex subwoofer, black
LX-218CA-NET	10424310	Powered, 2400 W, 2x18", ground-stackable long excursion bass-reflex subwoofer, DASnet, black
LX-218CA-R	10424270	Powered, 2400 W, 2x18", arrayable long excursion bass-reflex subwoofer, black
LX-218CA-R-NET	10424320	Powered, 2400 W, 2x18", arrayable long excursion bass-reflex subwoofer, DASnet, black
UX-218A	10424900	Powered, 2x1700 W, 2x18", ground-stackable hi-output crossfire subwoofer, DASnet, black
UX-218A-R	10424901	Powered, 2x1700 W, 2x18", arrayable hi-output crossfire subwoofer, DASnet, black
UX-221A	10424860	Powered, 2x3400 W, 2x21", ground-stackable hi-power ultra low frequency subwoofer, DASnet, black
UX-30A	10424950	Powered, 7500 W, 30", M-Force, ground-stackable hi-power ultra low frequency subwoofer, DASnet, black
AERO SERIES 2 UX SERIES EXTERNALLY POWERED		
AERO-50	10420160	Passive, 2x700 W (LF)+700 W (MF)+300 W (HF), 2x15"+4x 8"+2x3" drivers, 3 way full-range large format Line Array, black
LX-218C	10424290	Passive, 2000 W, 2x18", ground-stackable long excursion bass-reflex subwoofer, black
LX-218C-R	10424300	Passive, 2000 W, 2x18", arrayable long excursion bass-reflex subwoofer, black
UX-218	10424890	Passive, 2200 W, 2x18", ground-stackable hi-output crossfire subwoofer, black
UX-218-R	10424891	Passive, 2200 W, 2x18", arrayable hi-output crossfire subwoofer, black
UX-221	10424850	Passive, 2x2000 W, 2x21", ground-stackable hi-power ultra low frequency subwoofer, black
ACCESSORIES		
AX-118S20	10102910	Kit to stack AERO-20A (max 4 u.) on LX-118A, black
AX-AE1252	10102600	Rigging bumper for AERO-12/AERO-12A (max 18 u.), black
AX-AE20	10102820	Rigging bumper for AERO-20A (max 20 u.), black
AX-AE40S3	10102930	Rigging bumper for AERO-40A (max 20 u.), black
AX-AE50	10102460	Rigging bumper for AERO-50 (max 20 u.), LX-218C-R/LX-218CA-R (max 16 u.), black
AX-LX118S2	10102920	Rigging bumper for LX-118A, compatible for AERO-20A only (max 20 u.), black
AX-SF2	10102890	Kit to join Sound Force subwoofers (Metal Plate), 5mm, black
AX-UX218	10102931	Rigging bumper for UX-218-R/UX-218A-R, black
AX-COMBO12	10102490	Rigging adapter to combine AERO-12/AERO-12A with AERO-50/LX-218C-R/LX-218CA-R (max 8 u.), black
AX-COMBO2040	10102850	Rigging adapter to combine AERO-20A with AERO-40A, black
AXC-AT	10104310	C-clamp for using mounts with lighting truss
AXC-ZT	10104320	Speaker adaptor (required for TRD-2/TRD-6), black
AXS-40UX	10102932	Kit to stack AERO-40A on top of UX-218-R/UX-218A-R, black
AXS-AE12	10102590	Stacking bracket for AERO-12/AERO-12A (max 4 u. when stacked on any sub), black
AXS-AE20	10102840	Stacking bracket for AERO-20A systems on the ground or above subwoofers, black
AXS-AE40	10102790	Stacking bracket for AERO-40A systems on the ground or above subwoofers, black
FC-4AE12	10116030	Flight Case for AERO-12A (max 4 u.), black
FUN-TRD2	10103040	Protective transport cover for TRD-2, black
FUN-2-LX218C	10103390	Protective transport cover for 2 u. LX-218C/LX-218CA on PL-218CS, black
FUN-2-UX218	10103760	Protective transport cover for 2 u. UX-218/UX-218A on PL-UX218S, black
FUN-2-UX221	10103690	Protective transport cover for 2 u. UX-221/UX-221A on PL-221S, black
FUN-2-UX30	10103750	Protective transport cover for 2 u. UX-30A on PL-30S, black
FUN-3-AE40	10103630	Protective transport cover for 3 u. AERO-40A on PL-40S, black
FUN-3-LX218C	10103600	Protective transport cover for 3 u. LX-218C/LX-218CA on PL-218CS, black
FUN-3-UX218	10103770	Protective transport cover for 3 u. UX-218/UX-218A on PL-UX218S, black
FUN-3-UX218R	10103775	Protective transport cover for 3 u. UX-218-R/UX-218A-R on PL-UX218RS, black
FUN-4-AE20	10103680	Protective transport cover for 4 u. AERO-20A on PL-20S, black
FUN-4-AE40	10103620	Protective transport cover for 4 u. AERO-40A on PL-40S, black
FUN-6-AE12A	10103310	Protective transport cover for 6 u. AERO-12A on PL-12S, black
FUN-AE40	10103610	Protective transport cover for 1 u. AERO-40A, black
FUN-AE50	10103320	Protective transport cover for 1 u. AERO-50, black
FUN-LX218C	10103330	Protective transport cover for 1 u. LX-218C/LX-218CA, black
FUN-LX218CR	10103400	Protective transport cover for 1 u. LX-218C-R/LX-218CA-R, black
KIT-R-LX218C	10110180	Kit to convert 1 u. LX-218C/LX-218CA into LX-218C-R/LX-218CA-R, black
KIT-R-UX218	10110220	Kit to convert 1 u. UX-218/UX-218A into UX-218-R/UX-218A-R, black
KIT-W100	10104410	Casters kit for LX-218C/LX-218CA/LX-218C-R/LX-218CA-R, black
PICKUP-AX-AE1252	10102630	Additional pick-up bar for two lifting points for AX-AE1252, black
PICKUP-AX-AE20	10102830	Additional pick-up bar for two lifting points for AX-AE20, black
PICKUP-AX-AE40S3	10102810	Additional pick-up bar for two lifting points for AX-AE40S2/AX-AE40S3, black
PICKUP-AX-AE50	10102500	Additional pick-up bar for two lifting points for AX-AE50, black
PIN-6C	30003600	Lock Pin Ø:6 mm L:15 mm, black
PIN-6C-W	30003601	Lock Pin Ø:6 mm L:15 mm, white
PIN-6	30002878	Lock Pin Ø:6 mm L:23 mm, black
PIN-6-W	30005381	Lock Pin Ø:6 mm L:23 mm, white
PIN-8C	30006080	Lock Pin Ø:8 mm L:22 mm, black
PIN-8	30002877	Lock Pin Ø:8 mm L:30 mm, black
PIN-8-W	30005382	Lock Pin Ø:8 mm L:30 mm, white
PIN-10	30005972	Lock Pin Ø:10 mm L:40 mm
PIN-12	30004530	Lock Pin Ø:12 mm L:50 mm
PL-12S	10113070	Steel transport dolly for AERO-12/AERO-12A (max 6 u.), black
PL-20S	10113200	Steel transport dolly for AERO-20A (max 4 u.), black
PL-118S	10113220	Wooden transport dolly for LX-118A (max 2 u.), black
PL-218CS	10113140	Wooden transport dolly for LX-218C/LX-218C-R/LX-218CA/LX-218CA-R (max 3 u.), black
PL-221S	10113210	Steel transport dolly for UX-221/UX-221A (max 3 u.), black
PL-30S	10113230	Wooden transport dolly for UX-30A (max 3 u.), black
PL-40S	10113150	Steel transport dolly for AERO-40A (max 4 u.), black
PL-LX218C	10113130	Front wooden transport dolly for 1 u. of LX-218C-R/LX-218CA-R (included with every LX-218C-R/LX-218CA-R), black
PL-UX218S	10113241	Wooden transport dolly for UX-218/UX-218A (max 3 u.), black
PL-UX218RS	10113240	Wooden transport dolly for UX-218-R/UX-218A-R (max 3 u.), black
TRD-2	10104010	Aluminum speaker stand for all models with 35mm pole mount socket, black
TRD-6	10104470	Ring lock pole mount for use between satellite and sub system, black
TRD-7	10104471	Ring lock pole mount adjustable height (1005 mm – 1485 mm) for use between satellite and sub systems, black

DASNET ACCESSORIES

DASNET-MATRIX99	20503150	PATCHbay for DASnet Systems, etherCon outputs (data+audio) 9 In/9 Out	336 500
DASNET-MATRIX99-ETH	20503112	PATCHbay for DASnet Systems, etherCon outputs (data+audio) 9 In/9 Out, Ethernet	387 000
DASNET-PATCH-26	20503030	PATCHbay for DASnet Systems etherCon outputs (data+audio) 2 In/6 Out	158 000
DASNET-PATCH-48	20503040	PATCHbay for DASnet Systems, etherCon outputs (data+audio) 4 In/8 Out	203 000
DASNET-PATCH-PW-9	20503155	Power PATCH for DASnet Systems, 9 x powerCON TRUE 1 (black-yellow) output	178 500
DASNET-PATCH-PWCON-115	20503090	Power PATCH for DASnet systems, 6 x powerCON NAC3MPB outputs, 115 V	77 500
DASNET-PATCH-PWCON-230	20503050	Power PATCH for DASnet systems, 6 x powerCON NAC3MPB outputs, 230 V	77 500
DASNET-RACK-26	20503070	Rack 1xDASNET-PATCH-26+1xDASNET-PATCH-PWCON+1xDISTRO-RACKNET	1 178 500
DASNET-RACK-48	20503080	Rack 1xDASNET-PATCH-48+1xDASNET-PATCH-PWCON+1xDISTRO-RACKNET	1 224 000
DASNET-RACK99-230	20503110	Rack 1xDASNET-MATRIX99+1xDASNET-PATCH-POWER-9+1xDISTRO-RACKNET-32-9	1 604 500
DASNET-RACK99-230-ETH	20503111	Rack 1xDASNET-MATRIX99-ETH+1xDASNET-PATCH-POWER-9+1xDISTRO-RACKNET-32-9	1 696 500
DASNET-SPLITTER	20503060	DASnet Splitter 1 In/3 Out for Audio+Data+Power, powerCON NAC3MPB	73 500
DASNET-SPLITTER-TR1	20503100	DASnet Splitter 1 In/3 Out for Audio+Data+Power, powerCON TRUE 1	86 000
DISTRO-RACKNET	30008273	19" 32A Power Distro+6 Shucko 16A	574 000
DISTRO-RACKNET-32-9	30006677	19" 32A Power Distro+9 Shucko 16A	574 000
RACK-10	30005363	10U Touring Rack	339 000
USB-485	20502310	KK Systems USB to RS-485 converter	93 500

LOUDSPEAKERS CABLES

EC-09	20502110	0.9m CAT5e etherCON (data+audio) DASnet cable	19 000
EC-2	20502120	2m CAT5e etherCON (data+audio) DASnet cable	20 000
EC-20	20502130	20m CAT7 etherCON (data+audio) DASnet cable	160 500
ECP-3	20502060	3m Hybrid CAT7 etherCON (data+audio)+powerCON, DASnet cable	68 000
ECP-20	20502080	20m Hybrid CAT7 etherCON (data+audio)+powerCON, DASnet cable	189 500
ECP-30	20502070	30m Hybrid CAT7 etherCON (data+audio)+powerCON, DASnet cable	252 000
ECPK-1	20502090	1m Hybrid CAT7 etherCON (data+audio)+powerCON TRUE 1, DASnet cable	44 500
ECPK-5	20502100	5m Hybrid CAT7 etherCON (data+audio)+powerCON TRUE 1, DASnet cable	79 500
ECPK-20	20502180	20m Hybrid CAT7 etherCON (data+audio)+powerCON TRUE 1, DASnet cable	193 500
PLINK1-09	20502150	0.9m powerCON TRUE1 cable	11 500
SC-05	20501010	0.5m XLR microphone signal balanced cable	9 000
SC-1	20501020	1m XLR microphone signal balanced cable	9 500
SC-2	20501030	2m XLR microphone signal balanced cable	10 000
SC-5	20501040	5m XLR microphone signal balanced cable	11 500
SC-10	20501050	10m XLR microphone signal balanced cable	16 000
SPK8-1	20502010	1m speaker cable, 8x(2.5mm2), 2xNL8	23 500
SPK8-20	20502020	20m speaker cable, 8x(2.5mm2), 2xNL8	106 000
SPK8-25	20502030	25m speaker cable, 8x(2.5mm2), 2xNL8	125 500

ARCO SERIES

Model	Code	Description	
ARCO-4-T	10404510	Passive, 50 W, 4", 2 way full-range, ABS enclosure, 70 V/100 V line transformer, black	40 000
ARCO-4-TW	10404530	Passive, 50 W, 4", 2 way full-range, ABS enclosure, 70 V/100 V line transformer, white	40 000
ARCO-24-T	10404560	Passive, 100 W, 2x4", 2 way full-range, ABS enclosure, 70 V/100 V line transformer, black	55 500
ARCO-24-TW	10404570	Passive, 100 W, 2x4", 2 way full-range, ABS enclosure, 70 V/100 V line transformer, white	55 500
ARCO-125SUB	10404640	Passive, 2x170 W, Dual Voice Coil 12" mountable subwoofer, MDF enclosure, black	142 000

ACCESSORIES

AX-SPG1	10105050	28 mm TV clamp spigot adapter with M10 thread for AXU/AXF brackets	8 500
AXA-AC	10104370	Vertical/Horizontal joining plates for 2 cabinets of ARCO-4-T/ARCO-24-T, black	8 000
AXA-AC-W	10104380	Vertical/Horizontal joining plates for 2 cabinets of ARCO-4-TW/ARCO-24-TW, white	8 000
AXU-AC4	10104330	"U" bracket, wall/ceiling/truss/TRD-2/TRD-6, for ARCO-4-T, black	11 000
AXU-AC4-W	10104340	"U" bracket, wall/ceiling/truss/TRD-2/TRD-6, for ARCO-4-TW, white	11 000
AXU-AC24	10104350	"U" bracket, wall/ceiling/truss/TRD-2/TRD-6, for ARCO-24-T, black	12 000
AXU-AC24-W	10104360	"U" bracket, wall/ceiling/truss/TRD-2/TRD-6, for ARCO-24-TW, white	12 000
KIT-IP-ARCO	10404660	IP54 kit for ARCO-4-T/ARCO-24-T, black	4 000
KIT-IP-ARCO-W	10404670	IP54 kit for ARCO-4-TW/ARCO-24-TW, white	4 000

ARTEC 300 SERIES

Model	Code	Description	
ARTEC-306	10423800	Passive, 100 W, 6", 2 way full-range, 90x60 rotatable horn, black	144 000
ARTEC-306-W	10423851	Passive, 100 W, 6", 2 way full-range, 90x60 rotatable horn, white	144 000
ARTEC-306-T	10423846	Passive, 100 W, 6", 2 way full-range, 90x60 rotatable horn, 70 V/100 V line transformer, black	160 000
ARTEC-306-TW	10423862	Passive, 100 W, 6", 2 way full-range, 90x60 rotatable horn, 70 V/100 V line transformer, white	160 000
ARTEC-326	10423804	Passive, 200 W, 2x6", 2 way full-range, 90x60 rotatable horn, black	189 000
ARTEC-326-W	10423852	Passive, 200 W, 2x6", 2 way full-range, 90x60 rotatable horn, white	189 000
ARTEC-326-T	10423847	Passive, 200 W, 2x6", 2 way full-range, 90x60 rotatable horn, 70 V/100 V line transformer, black	205 000
ARTEC-326-TW	10423863	Passive, 200 W, 2x6", 2 way full-range, 90x60 rotatable horn, 70 V/100 V line transformer, white	205 000
ARTEC-308	10423808	Passive, 150 W, 8", 2 way full-range, 90x60 rotatable horn, black	160 000
ARTEC-308-W	10423853	Passive, 150 W, 8", 2 way full-range, 90x60 rotatable horn, white	160 000
ARTEC-308-T	10423848	Passive, 150 W, 8", 2 way full-range, 90x60 rotatable horn, 70 V/100 V line transformer, black	175 000
ARTEC-308-TW	10423864	Passive, 150 W, 8", 2 way full-range, 90x60 rotatable horn, 70 V/100 V line transformer, white	175 000
ARTEC-310.64	10423813	Passive, 250 W, 10", 2 way full-range, 60x40 rotatable horn, black	209 000
ARTEC-310.64-W	10423855	Passive, 250 W, 10", 2 way full-range, 60x40 rotatable horn, white	209 000
ARTEC-310.64-T	10423850	Passive, 250 W, 10", 2 way full-range, 60x40 rotatable horn, 70 V/100 V line transformer, black	223 000
ARTEC-310.64-TW	10423866	Passive, 250 W, 10", 2 way full-range, 60x40 rotatable horn, 70 V/100 V line transformer, white	223 000
ARTEC-310.96	10423812	Passive, 250 W, 10", 2 way full-range, 90x60 rotatable horn, black	209 000
ARTEC-310.96-W	10423854	Passive, 250 W, 10", 2 way full-range, 90x60 rotatable horn, white	209 000
ARTEC-310.96-T	10423849	Passive, 250 W, 10", 2 way full-range, 90x60 rotatable horn, 70 V/100 V line transformer, black	223 000
ARTEC-310.96-TW	10423865	Passive, 250 W, 10", 2 way full-range, 90x60 rotatable horn, 70 V/100 V line transformer, white	223 000
ARTEC-312.64	10423821	Passive, 300 W, 12", 2 way full-range, 60x40 rotatable horn, black	241 500
ARTEC-312.64-W	10423857	Passive, 300 W, 12", 2 way full-range, 60x40 rotatable horn, white	241 500
ARTEC-312.96	10423820	Passive, 300 W, 12", 2 way full-range, 90x60 rotatable horn, black	241 500
ARTEC-312.96-W	10423856	Passive, 300 W, 12", 2 way full-range, 90x60 rotatable horn, white	241 500
ARTEC-315.64	10423829	Passive, 350 W, 15", 2 way full-range, 60x40 rotatable horn, black	285 000
ARTEC-315.64-W	10423859	Passive, 350 W, 15", 2 way full-range, 60x40 rotatable horn, white	285 000
ARTEC-315.96	10423828	Passive, 350 W, 15", 2 way full-range, 90x60 rotatable horn, black	285 000
ARTEC-315.96-W	10423858	Passive, 350 W, 15", 2 way full-range, 90x60 rotatable horn, white	285 000
ARTEC-320	10423845	Passive, 500 W, 2x10", 2 way full-range, installation Line Array, black	511 000
ARTEC-320-W	10423861	Passive, 500 W, 2x10", 2 way full-range, installation Line Array, white	511 000
ARTEC-322S	10423838	Passive, 800 W, 2x12", compact arrayable band-pass subwoofer, black	333 000
ARTEC-322S-W	10423860	Passive, 800 W, 2x12", compact arrayable band-pass subwoofer, white	333 000

ACCESSORIES

ANL-2	10101020	Set of 4 M10x40 forged steel eyebolts+4 carabiners, for flying	16 000
AX-AR3	10102980	Rigging bumper for ARTEC-320/ARTEC-322S, black	48 000
AX-AR3-W	10102990	Rigging bumper for ARTEC-320-W/ARTEC-322S-W, white	48 000
AXC-AT	10104310	C-clamp for using mounts with lighting truss	17 500
AXF-AR508	10104800	Adjustable ceiling/truss mount bracket for ARTEC-308/ARTEC-508/ARTEC-508A, black	34 000
AXF-AR508-W	10104820	Adjustable ceiling/truss mount bracket for ARTEC-308-W/ARTEC-508-W/ARTEC-508A-W, white	34 000
AXF-AR510	10104810	Adjustable ceiling/truss mount bracket for ARTEC-310.96/310.64/ARTEC-510/ARTEC-510A/SF-10, black	37 500
AXF-AR510-W	10104830	Adjustable ceiling/truss mount bracket for ARTEC-310.96-W/310.64-W/ARTEC-510-W/ARTEC-510A-W/SF-10, white	37 500
AXR-AR5	10104870	Adjustable flying mount for ARTEC-500 series/ARTEC-300, black	38 500
AXR-AR5-W	10104880	Adjustable flying mount for ARTEC-500 series/ARTEC-300, white	38 500
AXU-AR312	10105090	"U" bracket, wall/ceiling/truss/TRD-2/TRD-6, for ARTEC-312.96/ARTEC-312.64, black	28 500
AXU-AR312-W	10105100	"U" bracket, wall/ceiling/truss/TRD-2/TRD-6, for ARTEC-312.96-W/ARTEC-312.64-W, white	28 500
AXU-AR315	10105110	"U" bracket, wall/ceiling/truss/TRD-2/TRD-6, for ARTEC-315.96/ARTEC-315.64, black	29 000
AXU-AR315-W	10105120	"U" bracket, wall/ceiling/truss/TRD-2/TRD-6, for ARTEC-315.96-W/ARTEC-315.64-W, white	29 000
AXW-3	10104850	Wall mount bracket and safety cable for various models, WLL=16kgf, black	38 000
AXW-3-W	10104860	Wall mount bracket and safety cable for various models, WLL=16kgf, white	38 000
JP-320	10102960	Joining plate for array assembling ARTEC-320/ARTEC-322S (Included with ARTEC-320), black	19 000
JP-320-W	10102970	Joining plate for array assembling ARTEC-320-W/ARTEC-322S-W (Included with ARTEC-320-W), white	19 000
UFB	10104470	Universal Fly Bar, black	35 000

ARTEC 500 SERIES			
Model	Code	Description	
ARTEC 500 SERIES EXTERNALLY POWERED			
ARTEC-506	10423170	Passive, 200 W, 6", 2 way full-range, 80x80 horn, black	187 000
ARTEC-526	10423180	Passive, 400 W, 2x6", 2 way full-range, 80x80 horn, black	265 000
ARTEC-508	10423190	Passive, 300 W, 8", 2 way full-range, 80x80 horn, black	187 000
ARTEC-510	10423200	Passive, 400 W, 10", 2 way full-range, 110x50 rotatable horn, black	269 000
ARTEC-515	10423700	Passive, 800 W, 15", band-pass subwoofer, black	324 500
ARTEC 500 SERIES POWERED			
ARTEC-506A-230	10423330	Powered, 500 W, 6", 2 way full-range, 80x80 horn, 230 V, black	375 000
ARTEC-526A-230	10423340	Powered, 500 W, 2x6", 2 way full-range, 80x80 horn, 230 V, black	442 000
ARTEC-508A-230	10423350	Powered, 500 W, 8", 2 way full-range, 80x80 horn, 230 V, black	375 000
ARTEC-510A-230	10423360	Powered, 500 W, 10", 2 way full-range, 110x50 rotatable horn, 230 V, black	474 500
ARTEC-515A-230	10423710	Powered, 1000 W, 15", band-pass subwoofer, 230 V, black	712 500
ACCESSORIES			
ANL-2	10101020	Set of 4 M10x40 forged steel eyebolts+4 carabiners, for flying	16 000
AX-SPG1	10105050	28 mm TV clamp spigot adapter with M10 thread for AXU/AXF brackets	8 500
AX-SPG2	10105060	28 mm TV clamp spigot adapter with groove and pin for AXR-AR5 mount	24 000
AXC-ZT	10104320	Speaker adaptor (required for TRD-2/TRD-6), black	13 500
AXF-AR508	10104800	Fast adjustable ceiling/truss mount bracket for ARTEC-308/ARTEC-508/ARTEC-508A, black	34 000
AXF-AR510	10104810	Fast adjustable ceiling/truss mount bracket for ARTEC-310.96/ARTEC-310.64/ARTEC-510/ARTEC-510A/SF-10, black	37 500
AXR-AR5	10104870	Adjustable flying mount for ARTEC-500 series/ARTEC-300, black	38 500
AXR-AR5-W	10104880	Adjustable flying mount for ARTEC-500 series/ARTEC-300, white	38 500
A XU-AR506	10104500	"U" bracket, wall/ceiling/truss/TRD-2/TRD-6, for ARTEC-506/ARTEC-506A, black	22 500
A XU-AR526	10104520	"U" bracket, wall/ceiling/truss/TRD-2/TRD-6, for ARTEC-526/ARTEC-526A/SF-26, black	24 000
A XU-AR508	10104510	"U" bracket, wall/ceiling/truss/TRD-2/TRD-6, for ARTEC-508/ARTEC-508A, black	24 000
A XU-AR510	10104530	"U" bracket, wall/ceiling/truss/TRD-2/TRD-6, for ARTEC-510/ARTEC-510A/SF-10, black	26 000
AXW-3	10104850	Wall mount bracket and safety cable for various models, WLL=16kgf, black	38 000
AXW-3-W	10104860	Wall mount bracket and safety cable for various models, WLL=16kgf, white	38 000
FUN-TRD2	10103040	Protective transport cover for TRD-2, black	16 000
TRD-2	10104010	Aluminum speaker stand for all models with 35mm pole mount socket, black	37 500
TRD-6	10104470	Ring lock pole mount for use between satellite and sub system, black	35 000
TRD-7	10104471	Ring lock pole mount adjustable height (1005 mm – 1485 mm) for use between satellite and sub systems, black	59 500
CEILING SERIES			
Model	Code	Description	
CL-5	10213010	20 W, 5.25" dual cone passive full-range ceiling speaker, 8 ohm, white	15 000
CL-5-T	10213020	6 W, 5.25" dual cone passive full-range ceiling speaker, 70 V/100 V line transformer, white	17 000
CL-6	10213030	40 W, 6.5" two-way passive full-range ceiling speaker, 8 ohm, white	19 000
CL-6-T	10213050	15 W, 6.5" two-way passive full-range ceiling speaker, 70 V/100 V line transformer, white	21 000
CL-6-TB	10213070	15 W, 6.5" two-way passive full-range ceiling speaker, 70 V/100 V line transformer, w/ Backcan, white	31 000
CL-8	10213040	60 W, 8" two-way passive full-range ceiling speaker, 8 ohm, white	22 000
CL-8-T	10213060	30 W, 8" two-way passive full-range ceiling speaker, 70 V/100 V line transformer, white	24 000
ELEVEN SOUND by DAS			
Model	Code	Description	
ES-26	10433175	Passive, 400 W, 2x6", 2 way full-range, 80x80 horn, various colors	347 500
ES-10	10433176	Passive, 400 W, 10", 2 way full-range, 110x50 rotatable horn, various colors	354 500
ES-112	10433178	Passive, 500 W, 12", 3 way mid-high, bi-amped or passive, 90x50 horn, twin bullet tweeters, various colors	2 255 500
ES-212.64-CX	10433183	Passive, 800 W, 2x12", 2 way full-range, bi-amped or passive, long throw, 60x40 rotatable horn, CX, black	1 325 000
ES-212.95-CX	10433184	Passive, 800 W, 2x12", 2 way full-range, bi-amped or passive, long throw, 90x50 rotatable horn, CX, black	1 325 000
ES-158	10433177	Passive, 700 W, 15", 3 way full-range, bi or tri-amped, 40x30 rotatable horn, various colors	1 053 500
ES-212	10433180	Passive, 800 W, 2x12", compact arrayable band-pass subwoofer, black	431 500
ES-215	10433179	Passive, 1400 W, 2x15", band-pass subwoofer bass-mid, various colors	955 500
ES-218	10433182	Passive, 2200 W, 2x18", ground-stackable hi-output crossfire subwoofer, black	1 964 000
ES-221	10433181	Passive, 2x2000 W, 2x21", ground-stackable hi-power ultra low frequency subwoofer, various colors	2 470 500
ELEVEN SOUND DSP			
iO-48	11106110	4 In/8 Out fully configurable DSP via ethernet/WIFI, 16 full bandwidth parametric band EQ on each channel, 11-NET control	1 005 000
WP-1	11106120	Wall remote control panel over IP to manage iO-48 processors	173 500
ACCESSORIES			
ANL-2	10101020	Set of 4 M10x40 forged steel eyebolts+4 carabiners, for flying	16 000
AX-SF1	10102880	Kit to join ELEVEN SOUND cabinets (Metal Angle), black	17 500
AX-SF2	10102890	Kit to join ELEVEN SOUND subwoofers (Metal Plate), 5mm, black	12 500
AX-SF3	10102940	Joining plate kit to fly ES models, (Metal Plate), 10mm, black	42 000
AX-SF112VA	10102870	Kit to stack 1 u. of ES-112 on top of 2 u. of ES-215 (Metal Base+Right & Left Angles), black	95 000
AX-SF2158	10102901	Joining plate for ES-158, black	30 000
AX-SF2215	10102900	Kit to stack 2 u. ES-215 on top of subwoofers (Metal Base), black	23 000
AXF-AR510	10104810	Fast adjustable ceiling/truss mount bracket for ARTEC-310.96/ARTEC-310.64/ARTEC-510/ARTEC-510A/ES-10, black	37 500
AXR-AR5	10104870	Adjustable flying mount for ARTEC 500 series/ES-10/ES-26, black	38 500
AXR-AR5-W	10104880	Adjustable flying mount for ARTEC 500 series/ES-10/ES-26, white	38 500
A XU-AR526	10104520	"U" bracket, wall/ceiling/truss/TRD-2/TRD-6, for ARTEC-526/ARTEC-526A/ES-26, black	24 000
A XU-AR510	10104530	"U" bracket, wall/ceiling/truss/TRD-2/TRD-6, for ARTEC-510/ARTEC-510A/ES-10, black	26 000
AXW-1	10104140	Wall mount bracket and safety cable for various models, WLL=12kgf, black	18 000
AXW-3	10104850	Wall mount bracket and safety cable for various models, WLL=16kgf, black	38 000
AXW-3-W	10104860	Wall mount bracket and safety cable for various models, WLL=16kgf, white	38 000
LOUDSPEAKERS CABLES			
SC-05	20501010	0.5m XLR microphone signal balanced cable	9 000
SC-1	20501020	1m XLR microphone signal balanced cable	9 500
SC-2	20501030	2m XLR microphone signal balanced cable	10 000
SC-5	20501040	5m XLR microphone signal balanced cable	11 500
SC-10	20501050	10m XLR microphone signal balanced cable	16 000
SPK4-1	20502000	1m speaker cable, 4x(2.5mm2), 2xNL4	3 500
SPK4-10	20502001	10m speaker cable, 4x(2.5mm2), 2xNL4	14 500
SPK4-20	20502002	20m speaker cable, 4x(2.5mm2), 2xNL4	11 000
SPK8-1	20502010	1m speaker cable, 8x(2.5mm2), 2xNL8	23 500
SPK8-20	20502020	20m speaker cable, 8x(2.5mm2), 2xNL8	106 000
SPK8-25	20502030	25m speaker cable, 8x(2.5mm2), 2xNL8	125 500

ENS4-24 CERTIFIED FOR P.A. AND VOICE EVACUATION

Model	Code	Description	
AERO-12	10420220	Passive, 250 W, 12", 2 way full-range, compact Line Array, IP33, black	1 232 000
WR-8826CX	10428010	Passive, 200 W, 2x6", 2 way full-range, 80x80 horn, CX, IP56, black	258 000
WR-8826DX	10428020	Passive, 200 W, 2x6", 2 way full-range, 80x80 horn, DX, IP56, black	350 000
WR-8826DXG	10428100	Passive, 200 W, 2x6", 2 way full-range, 80x80 horn, DX, IP56, grey	350 000
WR-6412CX	10428050	Passive, 300 W, 12", 2 way full-range, 60x40 rotatable horn, CX, IP54, black	469 500
WR-6412DX	10428060	Passive, 300 W, 12", 2 way full-range, 60x40 rotatable horn, DX, IP54, black	534 500
WR-6412DXG	10428140	Passive, 300 W, 12", 2 way full-range, 60x40 rotatable horn, DX, IP54, grey	534 500
WR-6415CX	10428070	Passive, 300 W, 15", 2 way full-range, 60x40 rotatable horn, CX, IP56, black	499 500
WR-6415DX	10428080	Passive, 300 W, 15", 2 way full-range, 60x40 rotatable horn, DX, IP56, black	598 500
WR-6415DXG	10428160	Passive, 300 W, 15", 2 way full-range, 60x40 rotatable horn, DX, IP56, grey	598 500

ACCESSORIES

AX-AE1252	10102600	Rigging bumper for AERO-12/AERO-12A (max 18 u.), black	287 000
ANL-2	10101020	Set of 4 M10x40 forged steel eyebolts+4 carabiners, for flying	16 000
AX-SPG1	10105050	28 mm TV clamp spigot adapter with M10 thread for AXU/AXF brackets	8 500
AXU-WR8826	10104700	"U" bracket, wall/ceiling/truss, for all WR-8826 models, black	39 000
AXU-WR8826-G	10104750	"U" bracket, wall/ceiling/truss, for all G versions of WR-8826 models, grey	39 000
AXU-WR6412	10104710	"U" bracket, wall/ceiling/truss, for all WR-6412 models and WR-1215-FX, black	67 000
AXU-WR6412-G	10104760	"U" bracket, wall/ceiling/truss, for all G versions of WR-6412 models, grey	67 000
AXU-WR6415	10104720	"U" bracket, wall/ceiling/truss, for all WR-6415 models and WR-1515-FX, black	70 000
AXU-WR6415-G	10104770	"U" bracket, wall/ceiling/truss, for all G versions of WR-6415 models, grey	70 000
AXW-1	10104140	Wall mount bracket and safety cable for various models, WLL=12kgf, black	18 000
PICKUP-AX-AE1252	10102630	Additional pick-up bar for two lifting points for AX-AE1252, black	137 000

EVENT LINE ARRAY SERIES (POWERED ARRAY)

Model	Code	Description	
EVENT-26A	10435010	Powered, 400 W, 2x6", 2 way full-range, compact Line Array, black	469 000
EVENT-208A-230	10429010	Powered, 180 W (LF)+180 W (MF)+180 W (HF), 2x8", 3 way full-range, compact Line Array, 230 V, black	649 000
EVENT-210A-230	10429030	Powered, 180 W (LF)+180 W (MF)+180 W (HF), 2x10", 3 way full-range, compact Line Array, 230 V, black	846 500
EVENT-212A	10429230	Powered, 500 W (LF)+500 W (MF)+500 W (HF), 2x12", 3 way full-range, Line Array, black	1 338 000
EVENT-212.120A	10429232	Powered, 500 W (LF)+500 W (MF)+500 W (HF), 2x12", 3 way full-range, Line Array, 120° horizontal dispersion, black	1 338 000
EVENT-121A	10429240	Powered, 1600 W, 21", horn-bass extended subwoofer, black	1 338 000
EVENT-218A	10429060	Powered, 1800 W, 2x18", ground-stackable long excursion bass-reflex subwoofer, black	1 153 000
EVENT-M210A-230	10429210	Powered, 500 W, 2x10", 2 way full-range, stage monitor, 60x50 horn, 230 V, black	656 500

ACCESSORIES

AX-COMBOEV1208	10102784	Rigging adapter to combine EVENT-212A/EVENT-212.120A with EVENT-208A, black	198 000
AX-COMBOEV1210	10102786	Rigging adapter to combine EVENT-212A/EVENT-212.120A with EVENT-210A, black	200 500
AX-EV26	10102365	Rigging bumper for EVENT-26A (max 16 u.), black	118 000
AX-EV208	10102720	Rigging bumper for EVENT-208A (max 16 u.), black	267 000
AX-EV210	10102730	Rigging bumper for EVENT-210A (max 16 u.), black	270 500
AX-EV212	10102734	Rigging bumper for EVENT-212A (max 16 u.), black	366 000
AXC-ZT	10104320	Speaker adaptor (required for TRD-2/TRD-6), black	13 500
AXS-EV26	10102366	Stacking bracket for EVENT-26A (max 4 u. when stacked on any sub), black	45 500
AXS-EV208	10102750	Stacking bracket for EVENT-208A (max 4 u./max 1 u. using TRD-6/TRD-2), black	111 000
AXS-EV210	10102760	Stacking bracket for EVENT-210A (max 4 u./max 1 u. using TRD-6/TRD-2), black	112 000
AXS-EV212	10102761	Stacking bracket for EVENT-212A/EVENT-212.120A systems above EVENT-218A or on the ground, black	135 500
FUN-TRD2	10103040	Protective transport cover for TRD-2, black	16 000
FUN-2-EV115	10103786	Protective transport cover for 2 u. EVENT-115A on PL-IC155S, black	85 000
FUN-2-EV121	10103632	Protective transport cover for 2 u. EVENT-121A on PL-EV121S, black	159 000
FUN-4-EV26	10103785	Protective transport cover for 4 u. EVENT-26A on PL-IC206S, black	70 500
FUN-4-EV208	10103650	Protective transport cover for 4 u. EVENT-208A on PL-EV208S, black	116 500
FUN-4-EV210	10103660	Protective transport cover for 4 u. EVENT-210A on PL-EV210S, black	120 000
FUN-4-EV212	10103662	Protective transport cover for 4 u. EVENT-212A/EVENT-212.120A on PL-EV212S, black	143 000
FUN-2-EV218	10103670	Protective transport cover for 2 u. EVENT-218A on PL-EV218S, black	164 000
JP-EV26	10102979	Joining plate for array assembling EVENT-26A/EVENT-115A, black	45 500
PICKUP-AX-EV208	10102770	Additional pick-up bar for two lifting points for AX-EV208, black	157 000
PICKUP-AX-EV210	10102780	Additional pick-up bar for two lifting points for AX-EV210, black	158 000
PICKUP-AX-EV212	10102782	Additional pick-up bar for two lifting points for AX-EV212, black	197 000
PIN-6	30002878	Lock Pin Ø:6 mm L:23 mm, black	9 000
PIN-6-W	30005381	Lock Pin Ø:6 mm L:23 mm, white	9 000
PIN-8	30002877	Lock Pin Ø:8 mm L:30 mm, black	9 500
PIN-8-W	30005382	Lock Pin Ø:8 mm L:30 mm, white	9 500
PL-EV26S	10113280	Steel transport dolly for EVENT-26A (max 4 u.), black	237 000
PL-EV208S	10113170	Steel transport dolly for EVENT-208A (max 4 u.), black	177 500
PL-EV210S	10113180	Steel transport dolly for EVENT-210A (max 4 u.), black	185 500
PL-EV212S	10113183	Steel transport dolly for EVENT-212A/EVENT-212.120A (max 4 u.), black	210 000
PL-EV115S	10113290	Wooden transport dolly for EVENT-115A (max 2 u.), black	149 500
PL-EV121S	10113192	Wooden transport dolly for EVENT-121A (max 3 u.), black	162 500
PL-EV218S	10113190	Wooden transport dolly for EVENT-218A (max 3 u.), black	175 500
TRD-2	10104010	Aluminum speaker stand for all models with 35mm pole mount socket, black	37 500
TRD-6	10104470	Ring lock pole mount for use between satellite and sub system, black	35 000
TRD-7	10104471	Ring lock pole mount adjustable height (1005 mm – 1485 mm) for use between satellite and sub systems, black	59 500

CABLES

SC-1	20501020	1m XLR microphone signal balanced cable	9 500
SC-10	20501050	10m XLR microphone signal balanced cable	16 000
PWCONLINK-09	20502210	0.9m powerCON NAC3FCA+NAC3FCB power cable	11 000

HQ SERIES			
Model	Code	Description	
HQ-112.43-CX	10432080	Passive, 400 W, 12", 2 way full-range, bi-amped or passive, long throw mid-high, 40x30 rotatable horn, CX, black	1 406 000
HQ-112.43-DX	10432010	Passive, 400 W, 12", 2 way full-range, bi-amped or passive, long throw mid-high, 40x30 rotatable horn, DX, black	1 761 000
HQ-112.64-CX	10432090	Passive, 400 W, 12", 2 way full-range, bi-amped or passive, long throw mid-high, 60x40 rotatable horn, CX, black	1 365 000
HQ-112.64-DX	10432020	Passive, 400 W, 12", 2 way full-range, bi-amped or passive, long throw mid-high, 60x40 rotatable horn, DX, black	1 706 000
HQ-112.95-CX	10432100	Passive, 400 W, 12", 2 way full-range, bi-amped or passive long throw mid-high, 90x50 rotatable horn, CX, black	1 365 000
HQ-112.95-DX	10432030	Passive, 400 W, 12", 2 way full-range, bi-amped or passive long throw mid-high, 90x50 rotatable horn, DX, black	1 706 000
HQ-212.64-CX	10432180	Passive, 800 W, 2x12", 2 way full-range, bi-amped or passive, long throw, 60x40 rotatable horn, CX, black	1 165 500
HQ-212.64-DX	10432175	Passive, 800 W, 2x12", 2 way full-range, bi-amped or passive, long throw, 60x40 rotatable horn, DX, black	1 261 000
HQ-212.95-CX	10432181	Passive, 800 W, 2x12", 2 way full-range, bi-amped or passive, long throw, 90x50 rotatable horn, CX, black	1 165 500
HQ-212.95-DX	10432176	Passive, 800 W, 2x12", 2 way full-range, bi-amped or passive, long throw, 90x50 rotatable horn, DX, black	1 261 000
HQ-218-CX	10432110	Passive, 2000 W, 2x18", ground-stackable long excursion bass-reflex subwoofer, CX, black	922 000
HQ-218-DX	10432040	Passive, 2000 W, 2x18", ground-stackable long excursion bass-reflex subwoofer, DX, black	1 153 000
ACCESSORIES			
ANL-2	10101020	Set of 4 M10x40 forged steel eyebolts+4 carabiners, for flying	16 000
QUANTUM SERIES			
Model	Code	Description	
Q-3-T	10434040	Passive, 20 W, 3", full-range, Aluminum enclosure, 70 V/100 V line transformer, black	60 500
Q-3-TW	10434010	Passive, 20 W, 3", full-range, Aluminum enclosure, 70 V/100 V line transformer, white	60 500
Q-23-T	10434050	Passive, 40 W, 2x3", full-range, Aluminum enclosure, 70 V/100 V line transformer, black	84 500
Q-23-TW	10434020	Passive, 40 W, 2x3", full-range, Aluminum enclosure, 70 V/100 V line transformer, white	84 500
Q-43-T	10434060	Passive, 80 W, 4x3", full-range, Aluminum enclosure, 70 V/100 V line transformer, black	140 500
Q-43-TW	10434030	Passive, 80 W, 4x3", full-range, Aluminum enclosure, 70 V/100 V line transformer, white	140 500
Q-10	10434079	Passive, 250 W, 10", bass-reflex subwoofer, black	158 500
Q-10-W	10434084	Passive, 250 W, 10", bass-reflex subwoofer, white	158 500
Q-10A	10434087	Powered, 250 W, 10", bass-reflexsubwoofer, 115 V/230 V, black	305 500
Q-10A-W	10434088	Powered, 250 W, 10", bass-reflexsubwoofer, 115 V/230 V, white	305 500
ACCESSORIES			
AXW-4	10104175	Wall mount bracket with vertical and horizontal angle adjustment for various models, WLL=6kgf, black	11 500
AXW-5	10104176	Wall mount bracket with a fixed 15° vertical angle for various models, WLL=6kgf, black	9 000
AXS-Q	10104178	Stacking bracket for Q-23-T, black	7 500
JP-Q	10102973	Joining piece for stacking/array assembling Quantum series,	8 000
JP-Q-W	10102974	Joining piece for stacking/array assembling Quantum series, white	8 000
KIT-IP-QUANTUM	10434090	IP54 kit for Q-3-T, Q-23-T, Q-43-T	4 500
KIT-IP-QUANTUM-W	10434091	IP54 kit for Q-3-T-W, Q-23-T-W, Q-43-T-W, white	4 500
ROAD SERIES			
Model	Code	Description	
ROAD-12ALT-230	10418605	Powered, 770 W, 12", 2 way full-range, stage monitor, rotatable horn 60x40, Left, 230 V, black	868 000
ROAD-12ART-230	10418600	Powered, 770 W, 12", 2 way full-range, stage monitor, rotatable horn 60x40, Right, 230 V, black	868 000
ROAD-12ALT-NET230	10418700	Powered, 770 W, 12", 2 way full-range, stage monitor, rotatable horn 60x40, Left, DASnet, 230 V, black	937 000
ROAD-12ART-NET230	10418690	Powered, 770 W, 12", 2 way full-range, stage monitor, rotatable horn 60x40, Right, DASnet, 230 V, black	937 000
ROAD-15ALT-230	10418660	Powered, 770 W, 15", 2 way full-range, stage monitor, rotatable horn 60x40, Left, 230 V, black	911 500
ROAD-15ART-230	10418650	Powered, 770 W, 15", 2 way full-range, stage monitor, rotatable horn 60x40, Right, 230 V, black	911 500
ROAD-15ALT-NET230	10418740	Powered, 770 W, 15", 2 way full-range, stage monitor, rotatable horn 60x40, Left, DASnet, 230 V, black	981 000
ROAD-15ART-NET230	10418730	Powered, 770 W, 15", 2 way full-range, stage monitor, rotatable horn 60x40, Right, DASnet, 230 V, black	981 000
ACCESSORIES			
FUN-TRD2	10103040	Protective transport cover for TRD-2, black	16 000
FC-RD12A	10116070	Flight Case for ROAD-12A models (max 2 u.), black	288 000
FC-RD15A	10116060	Flight Case for ROAD-15A models (max 2 u.), black	288 000
TRD-2	10104010	Aluminum speaker stand for all models with 35mm pole mount socket, black	37 500
TRD-6	10104470	Ring lock pole mount for use between satellite and sub system, black	35 000
DASNET ACCESSORIES			
DASNET-MATRIX99	20503150	PATCHbay for DASnet Systems, etherCon outputs (data+audio) 9 In/9 Out	336 500
DASNET-MATRIX99-ETH	20503112	PATCHbay for DASnet Systems, etherCon outputs (data+audio) 9 In/9 Out, Ethernet	387 000
DASNET-PATCH-26	20503030	PATCHbay for DASnet Systems etherCon outputs (data+audio) 2 In/6 Out	158 000
DASNET-PATCH-48	20503040	PATCHbay for DASnet Systems, etherCon outputs (data+audio) 4 In/8 Out	203 000
DASNET-PATCH-PW-9	20503155	Power PATCH for DASnet Systems, 9 x powerCON TRUE 1 (black-yellow) output	178 500
DASNET-PATCH-PWCON-230	20503050	Power PATCH for DASnet systems, 6 x powerCON NAC3MPB outputs, 230 V	77 500
DASNET-RACK-26	20503070	Rack 1xDASNET-PATCH-26+1xDASNET-PATCH-PWCON+1xDISTRO-RACKNET	1 178 500
DASNET-RACK-48	20503080	Rack 1xDASNET-PATCH-48+1xDASNET-PATCH-PWCON+1xDISTRO-RACKNET	1 224 000
DASNET-RACK99-230	20503110	Rack 1xDASNET-MATRIX99+1xDASNET-PATCH-PWCON+9+1xDISTRO-RACKNET-32-9	1 604 500
DASNET-RACK99-230-ETH	20503111	Rack 1xDASNET-MATRIX99-ETH+1xDASNET-PATCH-PWCON+9+1xDISTRO-RACKNET-32-9	1 696 500
DASNET-SPLITTER	20503060	DASnet Splitter 1 In/3 Out for Audio+Data+Power, powerCON NAC3MPB	73 500
DASNET-SPLITTER-TR1	20503100	DASnet Splitter 1 In/3 Out for Audio+Data+Power, powerCON TRUE 1	86 000
DISTRO-RACKNET	30008273	19" 32A Power Distro+6 Shucko 16A	574 000
DISTRO-RACKNET-32-9	30006677	19" 32A Power Distro+9 Shucko 16A	574 000
RACK-10	30005363	10U Touring Rack	339 000
USB-485	20502310	KK Systems USB to RS-485 converter	93 500
LOUDSPEAKERS CABLES			
EC-09	20502110	0.9m CAT5e etherCON (data+audio) DASnet cable	19 000
EC-2	20502120	2m CAT5e etherCON (data+audio) DASnet cable	20 000
EC-20	20502130	20m CAT7 etherCON (data+audio) DASnet cable	160 500
ECP-3	20502060	3m Hybrid CAT7 etherCON (data+audio)+powerCON, DASnet cable	68 000
ECP-20	20502080	20m Hybrid CAT7 etherCON (data+audio)+powerCON, DASnet cable	189 500
ECP-30	20502070	30m Hybrid CAT7 etherCON (data+audio)+powerCON, DASnet cable	252 000
ECPK-1	20502090	1m Hybrid CAT7 etherCON (data+audio)+powerCON TRUE 1, DASnet cable	44 500
ECPK-5	20502100	5m Hybrid CAT7 etherCON (data+audio)+powerCON TRUE 1, DASnet cable	79 500
ECPK-20	20502180	20m Hybrid CAT7 etherCON (data+audio)+powerCON TRUE 1, DASnet cable	193 500
PLINK1-09	20502150	0.9m powerCON TRUE1 cable	11 500
SC-05	20501010	0.5m XLR microphone signal balanced cable	9 000
SC-1	20501020	1m XLR microphone signal balanced cable	9 500
SC-2	20501030	2m XLR microphone signal balanced cable	10 000
SC-5	20501040	5m XLR microphone signal balanced cable	11 500
SC-10	20501050	10m XLR microphone signal balanced cable	16 000
SPK8-1	20502010	1m speaker cable, 8x(2.5mm2), 2xNL8	23 500
SPK8-20	20502020	20m speaker cable, 8x(2.5mm2), 2xNL8	106 000
SPK8-25	20502030	25m speaker cable, 8x(2.5mm2), 2xNL8	125 500

SPECIAL APPLICATIONS			
Model	Code	Description	
BDRIVER-PLUS	10413020	Passive, 300 W, 10", long-throw mid-high coaxial speaker with 2" HF Exit, black	548 500
BDRIVER-PLUS-T	10413030	Passive, 150 W, 10", long-throw mid-high coaxial speaker with 2" HF Exit, 70 V/100 V line transformer, black	576 000
FACTOR-8	10404090	Passive, 100 W, 8", 2 way full-range, polypropylene enclosure, black	82 000
FACTOR-8-T	10404100	Passive, 100 W, 8", 2 way full-range, polypropylene enclosure, 70 V/100 V line transformer, black	91 500
OVI-12	10404710	Passive, 300 W, 12", coaxial 2 way full-range, polypropylene enclosure, black	159 000
OVI-12-IP54	10404795	Passive, 300 W, 12", coaxial 2 way full-range, polypropylene enclosure IP54, black	177 000
OVI-12-T	10404730	Passive, 300 W, 12", coaxial 2 way full-range, polypropylene enclosure, 70 V/100 V line transformer, black	181 500
OVI-12-W	10404720	Passive, 300 W, 12", coaxial 2 way full-range, polypropylene enclosure, white	159 000
OVI-12-W-IP54	10404796	Passive, 300 W, 12", coaxial 2 way full-range, polypropylene enclosure IP54, white	177 000
ACCESSORIES			
AXW-1	10104140	Wall mount bracket and safety cable for various models, WLL=12kgf, black	18 000
AXC-OVI12-60	10105123	Ceiling tile panel adapter (Metric - 600x600mm) for OVI-12, black	29 000
AXC-OVI12-60W	10105130	Ceiling tile panel adapter (Metric - 600x600mm) for OVI-12-W, white	29 000
AXC-OVI12-120	10105125	Ceiling tile panel adapter (Metric - 600x1200mm) for OVI-12, black	47 000
AXC-OVI12-120W	10105131	Ceiling tile panel adapter (Metric - 600x1200mm) for OVI-12-W, white	47 000
AXC-OVI12-2FT	10105126	Ceiling tile panel adapter (US - 2x2 ft) for OVI-12, black	29 000
AXC-OVI12-4FT	10105127	Ceiling tile panel adapter (US - 2x4 ft) for OVI-12, black	47 000
AXW-OVI12	10105121	Wall mount bracket for OVI-12, black	56 500
AXW-OVI12-W	10105122	Wall mount bracket for OVI-12-W, white	56 500
VANTEC SERIES			
Model	Code	Description	
VANTEC SERIES EXTERNALLY POWERED			
VANTEC-12	10431090	Passive, 500 W, 12", 2 way full-range, 90x50 horn, black	268 000
VANTEC-15	10431060	Passive, 500 W, 15", 2 way full-range, 90x50 horn, black	295 500
VANTEC-215	10431030	Passive, 1000 W, 2x15", 2 way full-range, 90x50 horn, black	406 000
VANTEC-18	10431110	Passive, 1000 W, 18", ground-stackable long excursion bass-reflex subwoofer, black	374 500
VANTEC-218	10431130	Passive, 2000 W, 2x18", ground-stackable long excursion bass-reflex subwoofer, black	547 500
VANTEC SERIES POWERED			
VANTEC-12A	10431070	Powered, 750 W, 12", 2 way full-range, 90x50 horn, LCD control interface+wireless, black	432 500
VANTEC-15A	10431040	Powered, 750 W, 15", 2 way full-range, 90x50 horn, LCD control interface+wireless, black	482 000
VANTEC-20A	10431095	Powered, 500 W (LF)+250 W (HF), 12", 2 way full-range, Curved Source, 90x15 horn, LCD control interface+wireless, black	805 000
VANTEC-215A	10431010	Powered, 1125 W, 2x15", 3 way full-range, 90x50 horn, LCD control interface+wireless, black	622 000
VANTEC-18A	10431100	Powered, 1000 W, 18", compact long excursion bass-reflex subwoofer, black	539 000
VANTEC-118A	10431140	Powered, 1000 W, 18", long excursion bass-reflex subwoofer, black	805 000
VANTEC-218A	10431120	Powered, 2000 W, 2x18", ground-stackable long excursion bass-reflex subwoofer, black	921 000
ACCESSORIES			
ANL-2	10101020	Set of 4 M10x40 forged steel eyebolts+4 carabiners, for flying	16 000
AX-VT20	10102852	Rigging bumper for VANTEC-20A (max 5 u.), black	79 000
FUN-TRD2	10103040	Protective transport cover for TRD-2, black	16 000
FUN-VT12	10103710	Protective transport cover for 1 u. VANTEC-12/VANTEC-12A, ACTION-512/ACTION-512A, black	25 500
FUN-VT15	10103720	Protective transport cover for 1 u. VANTEC-15/VANTEC-15A, ACTION-15/ACTION-15A, black	29 500
FUN-VT215	10103730	Protective transport cover for 1 u. VANTEC-215/VANTEC-215A, ACTION-215/ACTION-215A, black	40 000
FUN-VT18	10103740	Protective transport cover for 1 u. VANTEC-18/VANTEC-18A, black	36 000
FUN-2-VT118	10103743	Protective transport cover for 2 u. VANTEC-118/VANTEC-118A, black	104 500
FUN-VT218	10103741	Protective transport cover for 1 u. VANTEC-218/VANTEC-218A, black	52 500
FUN-3-VT20	10103742	Protective transport cover for 3 u. VANTEC-20A, black	80 500
PL-VT118S	10113270	Wooden transport dolly for VANTEC-118A (max 2 u.), black	143 000
PL-VT20S	10113260	Steel transport dolly for VANTEC-20A (max 4 u.), black	137 500
TRD-2	10104010	Aluminum speaker stand for all models with 35mm pole mount socket, black	37 500
TRD-6	10104470	Ring lock pole mount for use between satellite and sub system, black	35 000
TRD-7	10104471	Ring lock pole mount adjustable height (1005 mm – 1485 mm) for use between satellite and sub systems, black	59 500
WR SERIES			
Model	Code	Description	
WR-8826-CX	10428010	Passive, 200 W, 2x6", 2 way full-range, 80x80 horn, CX, IP56, black	258 000
WR-8826-TCX	10428030	Passive, 200 W, 2x6", 2 way full-range, 80x80 horn, CX, 70 V/100 V line transformer, IP56, black	281 000
WR-8826-DX	10428020	Passive, 200 W, 2x6", 2 way full-range, 80x80 horn, DX, IP56, black	350 000
WR-8826-TDX	10428040	Passive, 200 W, 2x6", 2 way full-range, 80x80 horn, DX, 70 V/100 V line transformer, IP56, black	379 500
WR-8826-DXW	10428090	Passive, 200 W, 2x6", 2 way full-range, 80x80 horn, DX, IP56, white	350 000
WR-8826-TDXW	10428121	Passive, 200 W, 2x6", 2 way full-range, 80x80 horn, DX, 70 V/100 V line transformer, IP56, white	379 500
WR-6412-CX	10428050	Passive, 300 W, 12", 2 way full-range, 60x40 rotatable horn, CX, IP54, black	469 500
WR-6412-DX	10428060	Passive, 300 W, 12", 2 way full-range, 60x40 rotatable horn, DX, IP54, black	534 500
WR-6412-DXW	10428130	Passive, 300 W, 12", 2 way full-range, 60x40 rotatable horn, DX, IP54, white	534 500
WR-6415-CX	10428070	Passive, 300 W, 15", 2 way full-range, 60x40 rotatable horn, CX, IP56, black	499 500
WR-6415-DX	10428080	Passive, 300 W, 15", 2 way full-range, 60x40 rotatable horn, DX, IP56, black	598 500
WR-6415-DXW	10428150	Passive, 300 W, 15", 2 way full-range, 60x40 rotatable horn, DX, IP56, black	598 500
WR-1215-CX	10428232	Passive, 600 W, 12", compact arrayable subwoofer, CX, IP54, black	483 500
WR-1215-DX	10428234	Passive, 600 W, 12", compact arrayable subwoofer, DX, IP54, black	534 000
WR-1215-DXW	10428233	Passive, 600 W, 12", compact arrayable subwoofer, DX, IP54, white	534 000
WR-1515-CX	10428190	Passive, 800 W, 15", compact arrayable subwoofer, CX, IP54, black	493 500
WR-1515-DX	10428200	Passive, 800 W, 15", compact arrayable subwoofer, DX, IP54, black	548 000
WR-1515-DXW	10428230	Passive, 800 W, 15", compact arrayable subwoofer, DX, IP54, white	548 000
WR-2185-DX	10428249	Passive, 1800 W, 2x18", ground-stackable long excursion bass-reflex subwoofer, DX, black	994 500
WR-2185-DXW	10428250	Passive, 1800 W, 2x18", ground-stackable long excursion bass-reflex subwoofer, DX, white	994 500
WR-320-DX	10428242	Passive, 500 W, 2x10", 2 way full-range installation Line Array, DX, black	641 000
WR-320-DXW	10428243	Passive, 500 W, 2x10", 2 way full-range installation Line Array, DX, white	641 000
WR-3225-DX	10428247	Passive, 800 W, 2x12", compact arrayable band-pass subwoofer, DX, black	618 500
WR-3225-DXW	10428248	Passive, 800 W, 2x12", compact arrayable band-pass subwoofer, DX, white	618 500
ACCESSORIES			
ANL-2	10101020	Set of 4 M10x40 forged steel eyebolts+4 carabiners, for flying	16 000
AX-WR300	10102975	Rigging bumper for all models WR-320-FX/WR-3225-FX, black	103 500
AX-WR300-W	10102976	Rigging bumper for all models WR-320-FXW/WR-3225-FXW, white	103 500
AX-SPG1	10105050	28 mm TV clamp spigot adapter with M10 thread for AXU/AXF brackets	8 500
AXU-WR8826	10104700	"U" bracket, wall/ceiling/truss, for all WR-8826 models, black	39 000
AXU-WR8826-W	10104670	"U" bracket, wall/ceiling/truss, for all W versions of WR-8826 models, white	39 000
AXW-1	10104140	Wall mount bracket and safety cable for various models, WLL=12kgf, black	18 000
AXW-1-W	10104150	Wall mount bracket and safety cable for various models, WLL=12kgf, white	18 000
AXU-WR6412	10104710	"U" bracket, wall/ceiling/truss, for all WR-6412 models and WR-1215-FX, black	67 000
AXU-WR6412-W	10104680	"U" bracket, wall/ceiling/truss, for all W versions of WR-6412 models and WR-1215-FXW, white	67 000
AXU-WR6415	10104720	"U" bracket, wall/ceiling/truss, for all WR-6415 models and WR-1515-FX, black	70 000
AXU-WR6415-W	10104690	"U" bracket, wall/ceiling/truss, for all W versions of WR-6415 models and WR-1515-FXW, white	70 000
JP-WR320	10102977	Joining plate for array assembling WR-320-FX/WR-3225-FX (Included with WR-320-FX), black	34 000
JP-WR320-W	10102978	Joining plate for array assembling WR-320-FXW/WR-3225-FXW, (Included with WR-320-FXW), white	34 000

ELECTRONICS			
DSP SERIES - DIGITAL SIGNAL PROCESSORS			
Model	Code	Description	
DSP-23	11106070	2 In/3 Out fully configurable DSP, 3 full bandwidth parametric band EQ on each channel	141 000
DSP-226	11106000	2 In/6 Out fully configurable DSP, 5 full bandwidth parametric band EQ on each channel	300 000
DSP-2040	11105040	2 In/4 Out fully configurable DSP, 9 full bandwidth parametric band EQ on each channel	818 500
DSP-2060A	11105030	2 In/6 Out fully configurable DSP, 9 full bandwidth parametric band EQ on each channel, AudioCore/DASnet equipped	1 283 000
DSP-4080	11105060	4 In/8 Out fully configurable DSP, 9 full bandwidth parametric band EQ on each channel, AudioCore/DASnet equipped	1 954 500
DX SERIES - AMPLIFIERS			
Model	Code	Description	
DX-80-230	10716320	4-channel Class D (SMPS) amplifier, 2000 W @ 4ohm, 2U DIN, 230 V	1 717 000
DX-80i-230	10716180	4-channel Class D (SMPS) amplifier with 4in / 8out DSP and DANTE inputs, 2000 W @ 4ohm, 2U DIN, 230 V	2 746 500
DX-100-230	10716300	4-channel Class D (SMPS) amplifier, 2800 W @ 4ohm, 2U DIN, 230 V	2 291 500
DX-100i-230	10716160	4-channel Class D (SMPS) amplifier with 4in / 8out DSP and DANTE inputs, 2800 W @ 4ohm, 2U DIN, 230 V	3 292 500
IA SERIES - AMPLIFIERS			
Model	Code	Description	
IA-402	10717510	2-channel 200 W @ 4 ohm or 1-channel 400 W @ 100 V amplifier, 1U DIN	343 500
IA-404	10717520	4-channel 100 W @ 4 ohm or 2-channel 200 W @ 100 V amplifier, 1U DIN	443 000
IA-1002	10717530	2-channel 500 W @ 4 ohm or 1-channel 1000 W @ 100 V amplifier, 2U DIN	348 000
IA-1004	10717540	4-channel 250 W @ 4 ohm or 2-channel 500 W @ 100 V amplifier, 2U DIN	461 000
PA SERIES - AMPLIFIERS			
Model	Code	Description	
PA-500	10717100	2-channel amplifier, 250 W @ 4 ohm, 2U, 230 V	129 000
PA-900	10717110	2-channel amplifier, 450 W @ 4 ohm, 2U, 230 V	181 500
PA-1500	10717120	2-channel amplifier, 750 W @ 4 ohm, 2U, 230 V	204 500
PA-2700	10717130	2-channel amplifier, 1350 W @ 4 ohm, 2U, 230 V	345 500
PA-4000	10717140	2-channel amplifier, 2100 W @ 4 ohm, 2U, 230 V	467 000