

## DAS AUDIO 2022 árlista

ACTION SERIES MODEL	Code	DESCRIPTION	nettó HUF
<b>ACTION SERIES PASSIVE</b>			
ACTION-508	10427240	Passive, 150 W, 8", 2 way full-range, 90x60 rotatable horn, black	140 000
ACTION-512	10427246	Passive, 300 W, 12", 2 way full-range, 90x60 rotatable horn, black	188 500
ACTION-M512	10427243	Passive, 300 W, 12", 2 way full-range, stage monitor, 80x50 rotatable horn, black	226 000
ACTION-515	10427249	Passive, 350 W, 15", 2 way full-range, 90x60 rotatable horn, black	231 000
ACTION-525	10427252	Passive, 700 W, 2x 15", 2 way full-range, 90x60 rotatable horn, black	324 500
ACTION-S18	10427255	Passive, 600 W, 18", bass-reflex subwoofer, black	300 000
ACTION-S218	10427261	Passive, 1200 W, 2x 18", bass-reflex subwoofer, black	425 000
<b>ACTION SERIES ACTIVE</b>			
ACTION-508A	10427241	Powered, 360 W, 8", 2 way full-range, 90x60 rotatable horn, black	284 000
ACTION-512A	10427247	Powered, 500 W, 12", 2 way full-range, 90x60 rotatable horn, black	336 500
ACTION-M512A	10427244	Powered, 500 W, 12", 2 way full-range, stage monitor, 80x50 rotatable horn, black	359 000
ACTION-515A	10427250	Powered, 500 W, 15", 2 way full-range, 90x60 rotatable horn, black	368 000
ACTION-525A	10427253	Powered, 1000 W, 2x 15", 2 way full-range, 90x60 rotatable horn, black	454 000
ACTION-S18A	10427256	Powered, 600 W, 18", bass-reflex subwoofer, black	492 000
ACTION-S18A-230	10427259	Powered, 1600 W, 18", horn-bass subwoofer, 230 V, black	719 000
ACTION-S218A-230	10427262	Powered, 1250 W, 2x 18", bass-reflex subwoofer, 230 V, black	724 000
<b>ACCESSORIES</b>			
ANL-1	10101010	Set of 4 M8x13 forged steel eyebolts+4 carabiners, for flying	10 000
ANL-2	10101020	Set of 4 M10x40 forged steel eyebolts+4 carabiners, for flying	18 000
AX-SGP1	10105050	28 mm TV clamp spigot adapter with M10 thread for AXU/AXF brackets	9 500
AXC-AT	10104310	C-clamp for using mounts with lighting truss	20 000
AXU-ACT8	10104600	"U" bracket, wall/ceiling/truss/TRD-2/TRD-6, for ACTION-8/ACTION-8A, black	24 500
AXU-ACT512	10104605	"U" bracket, wall/ceiling/truss/TRD-2/TRD-6, for ACTION-512/ACTION-512A, black	40 000
FUN-ACT8	10103580	Protective transport cover for 1 u. ACTION-8/ACTION-8A, black	21 000
FUN-VT12	10103710	Protective transport cover for 1 u. VANTEC-12/VANTEC-12A, black	29 500
FUN-VT15	10103720	Protective transport cover for 1 u. VANTEC-15/VANTEC-15A, black	34 000
FUN-ACTM12	10103530	Protective transport cover for 1 u. ACTION-M12/ACTION-M12A, black	27 000
FUN-VT215	10103730	Protective transport cover for 1 u. VANTEC-215/VANTEC-215A, black	46 000
FUN-VT18	10103740	Protective transport cover for 1 u. VANTEC-18/VANTEC-18A, black	41 000
FUN-ACT118	10103570	Protective transport cover for 1 u. ACTION-118A, black	56 500
FUN-ACT218	10103560	Protective transport cover for 1 u. ACTION-218/ACTION-218A, black	46 000
FUN-TRD2	10103040	Protective transport cover for TRD-2, black	18 000
SPK4-1	20502000	1m speaker cable, 4x(2.5mm2), 2x NL4	9 500
SPK4-10	20502001	10m speaker cable, 4x(2.5mm2), 2x NL4	20 500
SPK4-20	20502002	20m speaker cable, 4x(2.5mm2), 2x NL4	32 000
TRD-2	10104010	Aluminum speaker stand for all models with 35mm pole mount socket, black	43 000
TRD-6	10104470	Ring lock pole mount 35 mm x 750 mm for use between satellite and sub system, black	40 500
TRD-7	10104471	Ring lock expandable (1005 -1485 mm) pole mount for use between satellite and sub systems, black	68 500
<b>ALTEA SERIES MODEL</b>			
<b>ALTEA SERIES PASSIVE</b>			
ALTEA-412	10404920	Passive, 300 W, 12", 2 way full-range, polypropylene enclosure, 90x60 horn, black	158 500
ALTEA-415	10404850	Passive, 350 W, 15", 2 way full-range, polypropylene enclosure, 90x60 horn, black	167 500
ALTEA-712	10404890	Passive, 500 W, 12", 2 way full-range, polypropylene enclosure, 90x60 horn, black	200 500
ALTEA-715	10404820	Passive, 500 W, 15", 2 way full-range, polypropylene enclosure, 90x60 horn, black	217 000
ALTEA-718	10404980	Passive, 600 W, 18", long excursion bass-reflex subwoofer, black	306 000
<b>ALTEA SERIES ACTIVE</b>			
ALTEA-412A	10404915	Powered, 400 W, 12", 2 way full-range, polypropylene enclosure, 90x60 horn, LCD control interface, 115 V, black	238 000
ALTEA-415A	10404845	Powered, 400 W, 15", 2 way full-range, polypropylene enclosure, 90x60 horn, LCD control interface, 115 V, black	258 500
ALTEA-712A	10404880	Powered, 700 W, 12", 2 way full-range, polypropylene enclosure, 90x60 horn, LCD control+wireless, black	370 500
ALTEA-715A	10404810	Powered, 700 W, 15", 2 way full-range, polypropylene enclosure, 90x60 horn, LCD control+wireless, black	402 500
ALTEA-718A	10404959	Powered, 600 W, 18", long excursion bass-reflex subwoofer, black	501 500
<b>ACCESSORIES</b>			
ANL-2	10101020	Set of 4 M10x40 forged steel eyebolts+4 carabiners, for flying	18 000
FUN-AL712	10103780	Protective transport cover for 1 u. ALTEA-712/ALTEA-712A/ALTEA-412/ALTEA-412A, black	12 000
FUN-AL715	10103781	Protective transport cover for 1 u. ALTEA-715/ALTEA-715A/ALTEA-415/ALTEA-415A, black	14 000
FUN-VT18	10103740	Protective transport cover for 1 u. VANTEC-18/VANTEC-18A, black	41 000
SPK4-1	20502000	1m speaker cable, 4x(2.5mm2), 2x NL4	9 500
SPK4-10	20502001	10m speaker cable, 4x(2.5mm2), 2x NL4	20 500
SPK4-20	20502002	20m speaker cable, 4x(2.5mm2), 2x NL4	32 000
TRD-2	10104010	Aluminum speaker stand for all models with 35mm pole mount socket, black	43 000
TRD-6	10104470	Ring lock pole mount 35 mm x 750 mm for use between satellite and sub system, black	40 500
TRD-7	10104471	Ring lock expandable (1005 -1485 mm) pole mount for use between satellite and sub systems, black	68 500
AX-112-5	10102390	Wall mount bracket for DR-512/DR-512A/DR-515/DR-515A, WLL=25kgf, black	36 000
<b>AERO SERIES 2   UX SERIES MODEL</b>			
<b>AERO SERIES 2   UX SERIES ACTIVE</b>			
AERO-20A	10420350	Powered, 800 W (LF)+400 W (HF), 12", 2 way full-range, compact Line Array, DASnet, black	1 993 500
AERO-20.120A	10420370	Powered, 800 W (LF)+400 W (HF), 12", 2 way full-range, compact Line Array, 120° horizontal dispersion, DASnet, black	1 993 500
AERO-40A	10420310	Powered, 1000 W (LF)+500 W (MF)+500 W (HF), 12"+8"+2x3" drivers, 3 way full-range, Line Array, DASnet, black	3 227 500
LX-118A	10424560	Powered, 1200 W, 18", arrayable long excursion bass-reflex subwoofer, DASnet, black	1 466 000
LX-218CA	10424250	Powered, 2400 W, 2x18", ground-stackable long excursion bass-reflex subwoofer, black	2 320 500
LX-218CA-NET	10424310	Powered, 2400 W, 2x18", ground-stackable long excursion bass-reflex subwoofer, DASnet, black	2 420 500
LX-218CA-R	10424270	Powered, 2400 W, 2x18", arrayable long excursion bass-reflex subwoofer, black	2 718 500
LX-218CA-R-NET	10424320	Powered, 2400 W, 2x18", arrayable long excursion bass-reflex subwoofer, DASnet, black	2 818 500
UX-218A	10424900	Powered, 2x1700 W, 2x18", ground-stackable hi-output crossfire subwoofer, DASnet, black	3 059 000
UX-218A-R	10424901	Powered, 2x1700 W, 2x18", arrayable hi-output crossfire subwoofer, DASnet, black	3 464 000
UX-221A	10424860	Powered, 2x3400 W, 2x21", ground-stackable hi-power ultra low frequency subwoofer, DASnet, black	4 379 500
UX-30A	10424950	Powered, 7500 W, 30", M-Force, ground-stackable hi-power ultra low frequency subwoofer, DASnet, black	5 094 500
<b>AERO SERIES 2   UX SERIES PASSIVE</b>			
AERO-50	10420160	Passive, 2x700 W (LF)+700 W (MF)+300 W (HF), 2x15"+4x8"+2x3" drivers, 3 way full-range large format Line Array, black	3 413 500
LX-218C	10424290	Passive, 2000 W, 2x18", ground-stackable long excursion bass-reflex subwoofer, black	1 460 000
LX-218C-R	10424300	Passive, 2000 W, 2x18", arrayable long excursion bass-reflex subwoofer, black	1 876 000
UX-218	10424890	Passive, 2200 W, 2x18", ground-stackable hi-output crossfire subwoofer, black	1 846 000
UX-218-R	10424891	Passive, 2200 W, 2x18", arrayable hi-output crossfire subwoofer, black	2 251 000
UX-221	10424850	Passive, 2x2000 W, 2x21", ground-stackable hi-power ultra low frequency subwoofer, black	2 426 000

ACCESSORIES			
AX-118S20	10102910	Kit to stack AERO-20A (max 4 u.) on LX-118A, black	31 500
AX-AE12S2	10102600	Rigging bumper for AERO-12/AERO-12A (max 18 u.), black	328 500
AX-AE20	10102820	Rigging bumper for AERO-20A (max 20 u.), black	515 000
AX-AE40S3	10102930	Rigging bumper for AERO-40A (max 20 u.), black	643 500
AX-AE50	10102460	Rigging bumper for AERO-50 (max 20 u.), LX-218C-R/LX-218CA-R (max 16 u.), black	579 500
AX-LX118S2	10102920	Rigging bumper for LX-118A, compatible for AERO-20A only (max 20 u.), black	515 000
AX-SF2	10102890	Kit to join Sound Force subwoofers (Metal Plate), 5mm, black	14 500
AX-UX218	10102931	Rigging bumper for UX-218-R/UX-218A-R, black	748 000
AX-COMBO12	10102490	Rigging adapter to combine AERO-12/AERO-12A with AERO-50/LX-218C-R/LX-218CA-R (max 8 u.), black	180 500
AX-COMBO2040	10102850	Rigging adapter to combine AERO-20A with AERO-40A, black	172 000
AXC-AT	10104310	C-clamp for using mounts with lighting truss	20 000
AXC-ZT	10104320	Speaker adaptor (required for TRD-2/TRD-6), black	15 500
AXS-40UX	10102932	Kit to stack AERO-40A on top of UX-218-R/UX-218A-R, black	109 500
AXS-AE12	10102590	Stacking bracket for AERO-12/AERO-12A (max 4 u. when stacked on any sub), black	46 500
AXS-AE20	10102840	Stacking bracket for AERO-20A systems on the ground or above subwoofers, black	64 500
AXS-AE40	10102790	Stacking bracket for AERO-40A systems on the ground or above subwoofers, black	346 500
FC-4AE12	10116030	Flight Case for AERO-12A (max 4 u.), black	705 500
FUN-TRD2	10103040	Protective transport cover for TRD-2, black	18 000
FUN-2-LX218C	10103390	Protective transport cover for 2 u. LX-218C/LX-218CA on PL-218CS, black	233 000
FUN-2-UX218	10103760	Protective transport cover for 2 u. UX-218/LX-218A on PL-UX218S, black	172 000
FUN-2-UX221	10103690	Protective transport cover for 2 u. UX-221/UX-221A on PL-221S, black	193 000
FUN-2-UX30	10103750	Protective transport cover for 2 u. UX-30A on PL-30S, black	169 500
FUN-3-AE40	10103630	Protective transport cover for 3 u. AERO-40A on PL-40S, black	158 000
FUN-3-LX218C	10103600	Protective transport cover for 3 u. LX-218C/LX-218CA on PL-218CS, black	300 500
FUN-3-UX218	10103770	Protective transport cover for 3 u. UX-218/LX-218A on PL-UX218S, black	224 500
FUN-3-UX218R	10103775	Protective transport cover for 3 u. UX-218-R/UX-218A-R on PL-UX218RS, black	220 500
FUN-4-AE20	10103680	Protective transport cover for 4 u. AERO-20A on PL-20S, black	153 500
FUN-4-AE40	10103620	Protective transport cover for 4 u. AERO-40A on PL-40S, black	173 500
FUN-6-AE12A	10103310	Protective transport cover for 6 u. AERO-12A on PL-12S, black	232 000
FUN-AE40	10103610	Protective transport cover for 1 u. AERO-40A, black	62 000
FUN-AE50	10103320	Protective transport cover for 1 u. AERO-50, black	69 500
FUN-LX218C	10103330	Protective transport cover for 1 u. LX-218C/LX-218CA, black	95 500
FUN-LX218CR	10103400	Protective transport cover for 1 u. LX-218C-R/LX-218CA-R, black	92 500
KIT-R-LX218C	10110180	Kit to convert 1 u. LX-218C/LX-218CA into LX-218C-R/LX-218CA-R, black	203 000
KIT-R-UX218	10110220	Kit to convert 1 u. UX-218/LX-218A into UX-218-R/UX-218A-R, black	405 500
KIT-W100	10104410	Casters kit for LX-218C/LX-218CA/LX-218C-R/LX-218CA-R, black	45 500
PICKUP-AX-AE12S2	10102630	Additional pick-up bar for two lifting points for AX-AE12S2, black	156 500
PICKUP-AX-AE20	10102830	Additional pick-up bar for two lifting points for AX-AE20, black	263 500
PICKUP-AX-AE40S3	10102810	Additional pick-up bar for two lifting points for AX-AE40S2/AX-AE40S3, black	358 000
PICKUP-AX-AE50	10102500	Additional pick-up bar for two lifting points for AX-AE50, black	358 000
PIN-6C	30003600	Lock Pin Ø:6 mm L:15 mm, black	10 500
PIN-6C-W	30003601	Lock Pin Ø:6 mm L:15 mm, white	10 500
PIN-6	30002878	Lock Pin Ø:6 mm L:23 mm, black	10 500
PIN-6-W	30005381	Lock Pin Ø:6 mm L:23 mm, white	10 500
PIN-8C	30006080	Lock Pin Ø:8 mm L:22 mm, black	11 000
PIN-8	30002877	Lock Pin Ø:8 mm L:30 mm, black	11 000
PIN-8-W	30005382	Lock Pin Ø:8 mm L:30 mm, white	11 000
PIN-10	30005972	Lock Pin Ø:10 mm L:40 mm	26 000
PIN-12	30004530	Lock Pin Ø:12 mm L:50 mm	27 000
PL-12S	10113070	Steel transport dolly for max 6 u. AERO-12/AERO-12A, black	223 000
PL-20S	10113200	Steel transport dolly for AERO-20A (max 4 u.), black	411 500
PL-118S	10113220	Wooden transport dolly for LX-118A (max 2 u.), black	221 500
PL-218CS	10113140	Wooden transport dolly for max 3 u. LX-218C/LX-218C-R/LX-218CA/LX-218CA-R, black	204 000
PL-221S	10113210	Steel transport dolly for UX-221/UX-221A (max 3 u.), black	728 000
PL-30S	10113230	Wooden transport dolly for UX-30A (max 3 u.), black	274 000
PL-40S	10113150	Steel transport dolly for AERO-40A (max 4 u.), black	435 500
PL-LX218C	10113130	Front wooden transport dolly for 1 u. of LX-218C-R/LX-218CA-R (included with every LX-218C-R/LX-218CA-R), black	204 000
PL-UX218S	10113241	Wooden transport dolly for UX-218/LX-218A (max 3 u.), black	269 000
PL-UX218RS	10113240	Wooden transport dolly for UX-218-R/UX-218A-R (max 3 u.), black	269 000
TRD-2	10104010	Aluminum speaker stand for all models with 35mm pole mount socket, black	43 000
DASNET ACCESSORIES			
DASNET-MATRIX99	20503150	PATCHbay for DASnet Systems, etherCon outputs (data+audio) 9 In/9 Out	385 000
DASNET-MATRIX99-ETH	20503112	PATCHbay for DASnet Systems, etherCon outputs (data+audio) 9 In/9 Out, Ethernet	443 000
DASNET-PATCH-26	20503030	PATCHbay for DASnet Systems etherCon outputs (data+audio) 2 In/6 Out	180 500
DASNET-PATCH-48	20503040	PATCHbay for DASnet Systems, etherCon outputs (data+audio) 4 In/8 Out	232 500
DASNET-PATCH-PW-9	20503155	Power PATCH for DASnet Systems, 9 x powerCON TRUE 1 (black-yellow) output	204 000
DASNET-PATCH-PWCON-230	20503050	Power PATCH for DASnet systems, 6 x NAC3MPB powerCON outputs, 230 V	88 500
DASNET-RACK-26	20503070	Rack 1xDASNET-PATCH-26+1xDASNET-PATCH-PWCON+1xDISTRO-RACKNET	1 348 000
DASNET-RACK-48	20503080	Rack 1xDASNET-PATCH-48+1xDASNET-PATCH-PWCON+1xDISTRO-RACKNET	1 400 000
DASNET-RACK99-230	20503110	Rack 1xDASNET-MATRIX99+1xDASNET-PATCH-POWER-9+1xDISTRO-RACKNET-32-9	1 835 000
DASNET-RACK99-230-ETH	20503111	Rack 1xDASNET-MATRIX99-ETH+1xDASNET-PATCH-POWER-9+1xDISTRO-RACKNET-32-9	1 940 500
DASNET-SPLITTER	20503060	DASnet Splitter 1 In/3 Out for Audio+Data+Power, powerCON NAC3MPB	84 500
DASNET-SPLITTER-TR1	20503100	DASnet Splitter 1 In/3 Out for Audio+Data+Power, powerCON TRUE 1	98 500
DISTRO-RACKNET	30008273	19" 32A Power Distro+6 Shucko 16A	656 500
DISTRO-RACKNET-32-9	30006677	19" 32A Power Distro+9 Shucko 16A	656 500
RACK-10	30005363	Rack DAS Touring 10U	387 500
USB-485	20502310	KK Systems USB to RS-485 converter	107 000
CABLES			
EC-09	20502110	0.9m CAT5e etherCON (data+audio) DASnet cable	21 500
EC-2	20502120	2m CAT5e etherCON (data+audio) DASnet cable	23 000
EC-20	20502130	20m CAT7 etherCON (data+audio) DASnet cable	183 500
ECP-3	20502060	3m Hybrid CAT7 etherCON (data+audio)+powerCON, DASnet cable	78 000
ECP-20	20502080	20m Hybrid CAT7 etherCON (data+audio)+powerCON, DASnet cable	216 500
ECP-30	20502070	30m Hybrid CAT7 etherCON (data+audio)+powerCON, DASnet cable	288 500
ECPK-1	20502090	1m Hybrid CAT7 etherCON (data+audio)+powerCON TRUE 1, DASnet cable	51 000
ECPK-5	20502100	5m Hybrid CAT7 etherCON (data+audio)+powerCON TRUE 1, DASnet cable	91 500
ECPK-20	20502180	20m Hybrid CAT7 etherCON (data+audio)+powerCON TRUE 1, DASnet cable	221 500
PLINK1-09	20502150	0.9m powerCON TRUE1 cable	13 000
SC-05	20501010	0.5m XLR microphone signal balanced cable	10 500
SC-1	20501020	1m XLR microphone signal balanced cable	11 000
SC-2	20501030	2m XLR microphone signal balanced cable	11 500
SC-5	20501040	5m XLR microphone signal balanced cable	13 000
SC-10	20501050	10m XLR microphone signal balanced cable	18 000
SPK8-1	20502010	1m speaker cable, 8x(2.5mm2), 2x NL8	27 000
SPK8-20	20502020	20m speaker cable, 8x(2.5mm2), 2x NL8	121 500
SPK8-25	20502030	25m speaker cable, 8x(2.5mm2), 2x NL8	143 500

<b>ARCO SERIES</b>			
<b>MODEL</b>	<b>Code</b>		
ARCO-4-T	10404510	Passive, 50 W, 4", 2 way full-range, ABS enclosure, 70 V/100 V line transformer, black	46 000
ARCO-4-TW	10404530	Passive, 50 W, 4", 2 way full-range, ABS enclosure, 70 V/100 V line transformer, white	46 000
ARCO-24-T	10404560	Passive, 100 W, 2x4", 2 way full-range, ABS enclosure, 70 V/100 V line transformer, black	64 000
ARCO-24-TW	10404570	Passive, 100 W, 2x4", 2 way full-range, ABS enclosure, 70 V/100 V line transformer, white	64 000
ARCO-12SUB	10404640	Passive, 2x170 W, Dual Voice Coil 12" mountable subwoofer, MDF enclosure, black	162 000
<b>ACCESSORIES</b>			
AX-SPG1	10105050	28 mm TV clamp spigot adapter with M10 thread for AXU/AXF brackets	9 500
AXA-AC	10104370	Vertical/Horizontal joining plates for 2 cabinets of ARCO-4-T/ARCO-24-T, black	9 000
AXA-AC-W	10104380	Vertical/Horizontal joining plates for 2 cabinets of ARCO-4-TW/ARCO-24-TW, white	9 000
AXU-AC4	10104330	"U" bracket, wall/ceiling/truss/TRD-2/TRD-6, for ARCO-4-T, black	13 000
AXU-AC4-W	10104340	"U" bracket, wall/ceiling/truss/TRD-2/TRD-6, for ARCO-4-TW, white	13 000
AXU-AC24	10104350	"U" bracket, wall/ceiling/truss/TRD-2/TRD-6, for ARCO-24-T, black	14 000
AXU-AC24-W	10104360	"U" bracket, wall/ceiling/truss/TRD-2/TRD-6, for ARCO-24-TW, white	14 000
KIT-IP-ARCO	10404660	IP54 kit for Arco-4T/24T, black	4 500
KIT-IP-ARCO-W	10404670	IP54 kit for Arco-4TW/24TW, white	4 500
<b>ARTEC 300 SERIES</b>			
<b>MODEL</b>	<b>Code</b>		
ARTEC-306	10423800	Passive, 100 W, 6", 2 way full-range, 90x60 rotatable horn, black	164 500
ARTEC-306-W	10423851	Passive, 100 W, 6", 2 way full-range, 90x60 rotatable horn, white	164 500
ARTEC-306-T	10423846	Passive, 100 W, 6", 2 way full-range, 90x60 rotatable horn, 70 V/100 V line transformer, black	183 000
ARTEC-306-TW	10423862	Passive, 100 W, 6", 2 way full-range, 90x60 rotatable horn, 70 V/100 V line transformer, white	183 000
ARTEC-326	10423804	Passive, 200 W, 2x6", 2 way full-range, 90x60 rotatable horn, black	216 000
ARTEC-326-W	10423852	Passive, 200 W, 2x6", 2 way full-range, 90x60 rotatable horn, white	216 000
ARTEC-326-T	10423847	Passive, 200 W, 2x6", 2 way full-range, 90x60 rotatable horn, 70 V/100 V line transformer, black	234 500
ARTEC-326-TW	10423863	Passive, 200 W, 2x6", 2 way full-range, 90x60 rotatable horn, 70 V/100 V line transformer, white	234 500
ARTEC-308	10423808	Passive, 150 W, 8", 2 way full-range, 90x60 rotatable horn, black	183 000
ARTEC-308-W	10423853	Passive, 150 W, 8", 2 way full-range, 90x60 rotatable horn, white	183 000
ARTEC-308-T	10423848	Passive, 150 W, 8", 2 way full-range, 90x60 rotatable horn, 70 V/100 V line transformer, black	200 000
ARTEC-308-TW	10423864	Passive, 150 W, 8", 2 way full-range, 90x60 rotatable horn, 70 V/100 V line transformer, white	200 000
ARTEC-310.64	10423813	Passive, 250 W, 10", 2 way full-range, 60x40 rotatable horn, black	239 000
ARTEC-310.64-W	10423855	Passive, 250 W, 10", 2 way full-range, 60x40 rotatable horn, white	239 000
ARTEC-310.64-T	10423850	Passive, 250 W, 10", 2 way full-range, 60x40 rotatable horn, 70 V/100 V line transformer, black	255 000
ARTEC-310.64-TW	10423866	Passive, 250 W, 10", 2 way full-range, 60x40 rotatable horn, 70 V/100 V line transformer, white	255 000
ARTEC-310.96	10423812	Passive, 250 W, 10", 2 way full-range, 90x60 rotatable horn, black	239 000
ARTEC-310.96-W	10423854	Passive, 250 W, 10", 2 way full-range, 90x60 rotatable horn, white	239 000
ARTEC-310.96-T	10423849	Passive, 250 W, 10", 2 way full-range, 90x60 rotatable horn, 70 V/100 V line transformer, black	255 000
ARTEC-310.96-TW	10423865	Passive, 250 W, 10", 2 way full-range, 90x60 rotatable horn, 70 V/100 V line transformer, white	255 000
ARTEC-312.64	10423821	Passive, 300 W, 12", 2 way full-range, 60x40 rotatable horn, black	276 500
ARTEC-312.64-W	10423857	Passive, 300 W, 12", 2 way full-range, 60x40 rotatable horn, white	276 500
ARTEC-312.96	10423820	Passive, 300 W, 12", 2 way full-range, 90x60 rotatable horn, black	276 500
ARTEC-312.96-W	10423856	Passive, 300 W, 12", 2 way full-range, 90x60 rotatable horn, white	276 500
ARTEC-315.64	10423829	Passive, 350 W, 15", 2 way full-range, 60x40 rotatable horn, black	326 000
ARTEC-315.64-W	10423859	Passive, 350 W, 15", 2 way full-range, 60x40 rotatable horn, white	326 000
ARTEC-315.96	10423828	Passive, 350 W, 15", 2 way full-range, 90x60 rotatable horn, black	326 000
ARTEC-315.96-W	10423858	Passive, 350 W, 15", 2 way full-range, 90x60 rotatable horn, white	326 000
ARTEC-320	10423845	Passive, 500 W, 2x10", 2 way full-range, installation Line Array, black	584 000
ARTEC-320-W	10423861	Passive, 500 W, 2x10", 2 way full-range, installation Line Array, white	584 000
ARTEC-3225	10423838	Passive, 800 W, 2x12", compact arrayable band-pass subwoofer, black	381 000
ARTEC-3225-W	10423860	Passive, 800 W, 2x12", compact arrayable band-pass subwoofer, white	381 000
<b>ACCESSORIES</b>			
ANL-2	10101020	Set of 4 M10x40 forged steel eyebolts+4 carabiners, for flying	18 000
AX-AR3	10102980	Rigging bumper for ARTEC-320/ARTEC-3225, black	55 500
AX-AR3-W	10102990	Rigging bumper for ARTEC-320-W/ARTEC-3225-W, white	55 500
AX-SPG1	10105050	28 mm TV clamp spigot adapter with M10 thread for AXU/AXF brackets	9 500
AXC-AT	10104310	C-clamp for using mounts with lighting truss	20 000
AXF-AR508	10104800	Fast adjustable ceiling/truss mount bracket for ARTEC-308/ARTEC-508/ARTEC-508A, black	39 000
AXF-AR508-W	10104820	Fast adjustable ceiling/truss mount bracket for ARTEC-308-W/ARTEC-508-W/ARTEC-508A-W, white	39 000
AXF-AR510	10104810	Fast adjustable ceiling/truss mount bracket for ARTEC-310.96/ARTEC-310.64/ARTEC-510/ARTEC-510A/SF-10, black	43 000
AXF-AR510-W	10104830	Fast adjustable ceiling/truss mount bracket for ARTEC-310.96-W/ARTEC-310.64-W/ARTEC-510-W/ARTEC-510A-W/SF-10, white	43 000
AXR-AR5	10104870	Adjustable flying mount for ARTEC-500/ARTEC-300, black	44 000
AXR-AR5-W	10104880	Adjustable flying mount for ARTEC-500/ARTEC-300, white	44 000
AXU-AR312	10105090	"U" bracket, wall/ceiling/truss/TRD-2/TRD-6, for ARTEC-312.96/ARTEC-312.64, black	32 500
AXU-AR312-W	10105100	"U" bracket, wall/ceiling/truss/TRD-2/TRD-6, for ARTEC-312.96-W/ARTEC-312.64-W, white	32 500
AXU-AR315	10105110	"U" bracket, wall/ceiling/truss/TRD-2/TRD-6, for ARTEC-315.96/ARTEC-315.64, black	33 500
AXU-AR315-W	10105120	"U" bracket, wall/ceiling/truss/TRD-2/TRD-6, for ARTEC-315.96-W/ARTEC-315.64-W, white	33 500
AXW-3	10104850	Wall mount bracket and safety cable for various models, WLL=16kgf, black	43 500
AXW-3-W	10104860	Wall mount bracket and safety cable for various models, WLL=16kgf, white	43 500
JP-320	10102960	Joining plate for array assembling ARTEC-320/ARTEC-3225 (Included with ARTEC-320), black	21 500
JP-320-W	10102970	Joining plate for array assembling ARTEC-320-W/ARTEC-3225-W (Included with ARTEC-320-W), white	21 500
UBF	10105040	Ring lock pole mount 35 mm x 750 mm for use between satellite and sub system, black	141 000
<b>ARTEC 500 SERIES</b>			
<b>MODEL</b>	<b>Code</b>		
<b>ARTEC 500 SERIES PASSIVE</b>			
ARTEC-506	10423170	Passive, 200 W, 6", 2 way full-range, 80x80 horn, black	214 000
ARTEC-526	10423180	Passive, 400 W, 2x6", 2 way full-range, 80x80 horn, black	303 000
ARTEC-508	10423190	Passive, 300 W, 8", 2 way full-range, 80x80 horn, black	214 000
ARTEC-510	10423200	Passive, 400 W, 10", 2 way full-range, 110x50 rotatable horn, black	307 500
ARTEC-515	10423700	Passive, 800 W, 15", band-pass subwoofer, black	371 000
<b>ARTEC 500 SERIES ACTIVE</b>			
ARTEC-506A-115	10423370	Powered, 500 W, 6", 2 way full-range, 80x80 horn, 115 V, black	429 000
ARTEC-506A-230	10423330	Powered, 500 W, 6", 2 way full-range, 80x80 horn, 230 V, black	429 000
ARTEC-526A-115	10423380	Powered, 500 W, 2x6", 2 way full-range, 80x80 horn, 115 V, black	505 000
ARTEC-526A-230	10423340	Powered, 500 W, 2x6", 2 way full-range, 80x80 horn, 230 V, black	505 000
ARTEC-508A-115	10423390	Powered, 500 W, 8", 2 way full-range, 80x80 horn, 115 V, black	429 000
ARTEC-508A-230	10423350	Powered, 500 W, 8", 2 way full-range, 80x80 horn, 230 V, black	429 000
ARTEC-510A-115	10423400	Powered, 500 W, 10", 2 way full-range, 110x50 rotatable horn, 115 V, black	542 500
ARTEC-510A-230	10423360	Powered, 500 W, 10", 2 way full-range, 110x50 rotatable horn, 230 V, black	542 500
ARTEC-515A-115	10423720	Powered, 1000 W, 15", band-pass subwoofer, 115 V, black	815 000
ARTEC-515A-230	10423710	Powered, 1000 W, 15", band-pass subwoofer, 230 V, black	815 000

ACCESSORIES			
ANL-2	10101020	Set of 4 M10x40 forged steel eyebolts+4 carabiners, for flying	18 000
AX-SPG1	10105050	28 mm TV clamp spigot adapter with M10 thread for AXU/AXF brackets	9 500
AX-SPG2	10105060	28 mm TV clamp spigot adapter with groove and pin for AXR-AR5 mount	27 500
AXC-ZT	10104320	Speaker adaptor (required for TRD-2/TRD-6), black	15 500
AXF-AR508	10104800	Fast adjustable ceiling/truss mount bracket for ARTEC-308/ARTEC-508/ARTEC-508A, black	39 000
AXF-AR510	10104810	Fast adjustable ceiling/truss mount bracket for ARTEC-310.96/ARTEC-310.64/ARTEC-510/ARTEC-510A/SF-10, black	43 000
AXR-AR5	10104870	Adjustable flying mount for ARTEC-500/ARTEC-300, black	44 000
AXU-AR506	10104500	"U" bracket, wall/ceiling/truss/TRD-2/TRD-6, for ARTEC-506/ARTEC-506A, black	26 000
AXU-AR526	10104520	"U" bracket, wall/ceiling/truss/TRD-2/TRD-6, for ARTEC-526/ARTEC-526A/SF-26, black	27 500
AXU-AR508	10104510	"U" bracket, wall/ceiling/truss/TRD-2/TRD-6, for ARTEC-508/ARTEC-508A, black	27 500
AXU-AR510	10104530	"U" bracket, wall/ceiling/truss/TRD-2/TRD-6, for ARTEC-510/ARTEC-510A/SF-10, black	30 000
AXW-1	10104140	Wall mount bracket and safety cable for various models, WLL=12kgf, black	20 500
AXW-3	10104850	Wall mount bracket and safety cable for various models, WLL=16kgf, black	43 500
AXW-3-W	10104860	Wall mount bracket and safety cable for various models, WLL=16kgf, white	43 500
FUN-TRD2	10103040	Protective transport cover for TRD-2, black	18 000
TRD-2	10104010	Aluminum speaker stand for all models with 35mm pole mount socket, black	43 000
TRD-6	10104470	Ring lock pole mount 35 mm x 750 mm for use between satellite and sub system, black	40 500
TRD-7	10104471	Ring lock expandable (1005 -1485 mm) pole mount for use between satellite and sub systems, black	68 500

CEILING SERIES			
MODEL	Code		
CL-5	10213010	20 W, 5.25" dual cone passive full-range ceiling speaker, 8 ohm, white	17 500
CL-5-T	10213020	6 W, 5.25" dual cone passive full-range ceiling speaker, 70 V/100 V line transformer, white	19 500
CL-6	10213030	40 W, 6.5" two-way passive full-range ceiling speaker, 8 ohm, white	22 000
CL-6-T	10213050	15 W, 6.5" two-way passive full-range ceiling speaker, 70 V/100 V line transformer, white	24 000
CL-6-TB	10213070	15 W, 6.5" two-way passive full-range ceiling speaker, 70 V/100 V line transformer, w/ Backcan, white	36 000
CL-8	10213040	60 W, 8" two-way passive full-range ceiling speaker, 8 ohm, white	25 500
CL-8-T	10213060	30 W, 8" two-way passive full-range ceiling speaker, 70 V/100 V line transformer, white	27 500

ELEVEN SOUND			
MODEL	Code		
ES-26	10433175	Passive, 400 W, 2x6", 2 way full-range, 80x80 horn.	397 500
ES-10	10433176	Passive, 1600W, 10", 2 way full-range, point source, 110x50 horn	405 500
ES-112	10433178	Passive, 2000W, 3 way Point source, 90x50 horn	2 580 000
ES-212.64-CX	10433183	Passive, 800 W, 2x 12", 2 way full-range, bi-amped or passive, long throw, 60x40 rotatable horn, CX, black	1 515 500
ES-212.95-CX	10433184	Passive, 800 W, 2x 12", 2 way full-range, bi-amped or passive long throw, 90x50 rotatable horn, CX, black	1 515 500
ES-158	10433177	Passive, 2800W, 3-way full range, point source system, 40x30	1 205 000
ES-212	10433180	Passive, 800 W, 2x12", compact arrayable band-pass subwoofer, black	494 000
ES-215	10433179	Passive, 1400 W, 2x15", band-pass subwoofer bass-mid.	1 093 500
ES-218	10433182	Passive, 2200 W, 2x18", ground-stackable hi-output crossfire subwoofer, black	2 246 500
ES-221	10433181	Passive, 2x2000 W, 2x21", ground-stackable hi-power ultra low frequency subwoofer.	2 826 000

ACCESSORIES			
ANL-2	10101020	Set of 4 M10x40 forged steel eyebolts+4 carabiners, for flying	18 000
AX-SF1	10102880	Kit to join Sound Force cabinets (Metal Angle), black	20 000
AX-SF2	10102890	Kit to join Sound Force subwoofers (Metal Plate), 5mm, black	14 500
AX-SF3	10102940	Joining plate kit to fly Sound Force models, (Metal Plate), 10mm, black	48 000
AX-SF112VA	10102870	Kit to stack 1 u. of SF-112 on top of 2 u. of SF-215 (Metal Base+Right & Left Angles), black	108 000
AX-SF2158	10102901	Joining plate for SF-158, black	34 500
AX-SF2215	10102900	Kit to stack 2 u. SF-215 on top of subwoofers (Metal Base), black	26 500
AXB-SF30	10102950	Stacking platform for fixing SF-30A to the ground, black	100 500
AXF-AR510	10104810	Fast adjustable ceiling/truss mount bracket for ARTEC-310.96/ARTEC-310.64/ARTEC-510/ARTEC-510A/SF-10, black	43 000
AXR-AR5	10104870	Adjustable flying mount for ARTEC-500/ARTEC-300, black	44 000
AXR-AR5-W	10104880	Adjustable flying mount for ARTEC-500/ARTEC-300, white	44 000
AXU-AR526	10104520	"U" bracket, wall/ceiling/truss/TRD-2/TRD-6, for ARTEC-526/ARTEC-526A/SF-26, black	27 500
AXU-AR510	10104530	"U" bracket, wall/ceiling/truss/TRD-2/TRD-6, for ARTEC-510/ARTEC-510A/SF-10, black	30 000
AXW-1	10104140	Wall mount bracket and safety cable for various models, WLL=12kgf, black	20 500
AXW-3	10104850	Wall mount bracket and safety cable for various models, WLL=16kgf, black	43 500
AXW-3-W	10104860	Wall mount bracket and safety cable for various models, WLL=16kgf, white	43 500

ELEVEN SOUND DSP			
iO-48	11106110	4 In/8 Out fully configurable DSP via ethernet/WIFI, 16 full bandwidth parametric band EQ on each channel, 11-NET control	1 149 500
WP-1	11106120	Wall remote control panel over IP to manage iO-48 processors	198 500

LOUDSPEAKERS CABLES			
SC-05	20501010	0.5m XLR microphone signal balanced cable	10 500
SC-1	20501020	1m XLR microphone signal balanced cable	11 000
SC-2	20501030	2m XLR microphone signal balanced cable	11 500
SC-5	20501040	5m XLR microphone signal balanced cable	13 000
SC-10	20501050	10m XLR microphone signal balanced cable	18 000
SPK4-1	20502000	1m speaker cable, 4x(2.5mm2), 2x NL4	9 500
SPK4-10	20502001	10m speaker cable, 4x(2.5mm2), 2x NL4	20 500
SPK4-20	20502002	20m speaker cable, 4x(2.5mm2), 2x NL4	32 000
SPK8-1	20502010	1m speaker cable, 8x(2.5mm2), 2x NL8	27 000
SPK8-20	20502020	20m speaker cable, 8x(2.5mm2), 2x NL8	121 500
SPK8-25	20502030	25m speaker cable, 8x(2.5mm2), 2x NL8	143 500

EN54-24			
MODEL	Code		
AERO-12	10420220	Passive, 250 W, 12", 2 way full-range, compact Line Array, IP33, black	1 409 000
WR-8826CX	10428010	Passive, 200 W, 2x6", 2 way full-range, 80x80 horn, CX, IP56, black	295 500
WR-8826DX	10428020	Passive, 200 W, 2x6", 2 way full-range, 80x80 horn, DX, IP56, black	400 500
WR-8826DXG	10428100	Passive, 200 W, 2x6", 2 way full-range, 80x80 horn, DX, IP56, grey	400 500
WR-6412CX	10428050	Passive, 300 W, 12", 2 way full-range, 60x40 rotatable horn, CX, IP54, black	537 000
WR-6412DX	10428060	Passive, 300 W, 12", 2 way full-range, 60x40 rotatable horn, DX, IP54, black	611 500
WR-6412DXG	10428140	Passive, 300 W, 12", 2 way full-range, 60x40 rotatable horn, DX, IP54, grey	611 500
WR-6415CX	10428070	Passive, 300 W, 15", 2 way full-range, 60x40 rotatable horn, CX, IP56, black	571 000
WR-6415DX	10428080	Passive, 300 W, 15", 2 way full-range, 60x40 rotatable horn, DX, IP56, black	684 500
WR-6415DXG	10428160	Passive, 300 W, 15", 2 way full-range, 60x40 rotatable horn, DX, IP56, grey	684 500

ACCESSORIES			
AX-AE12S2	10102600	Rigging bumper for AERO-12/AERO-12A (max 18 u.), black	328 500
AXU-VA4	10105070	"U" bracket, wall/ceiling/truss/TRD-2/TRD-6, for VA-4T, black	19 000
AXU-VA24	10105080	"U" bracket, wall/ceiling/truss/TRD-2/TRD-6, for VA-24T, black	19 000
ANL-2	10101020	Set of 4 M10x40 forged steel eyebolts+4 carabiners, for flying	18 000
AX-SPG1	10105050	28 mm TV clamp spigot adapter with M10 thread for AXU/AXF brackets	9 500
AXU-WR8826	10104700	"U" bracket, wall/ceiling/truss, for all WR-8826 models, black	44 500
AXU-WR8826-G	10104750	"U" bracket, wall/ceiling/truss, for all G versions of WR-8826 models, grey	44 500
AXU-WR6412	10104710	"U" bracket, wall/ceiling/truss, for all WR-6412 models and WR-1215-FX, black	77 000
AXU-WR6412-G	10104760	"U" bracket, wall/ceiling/truss, for all G versions of WR-6412 models, grey	77 000
AXU-WR6415	10104720	"U" bracket, wall/ceiling/truss, for all WR-6415 models and WR-1515-FX, black	80 000
AXU-WR6415-G	10104770	"U" bracket, wall/ceiling/truss, for all G versions of WR-6415 models, grey	80 000
AXW-1	10104140	Wall mount bracket and safety cable for various models, WLL=12kgf, black	20 500
PICKUP-AX-AE12S2	10102630	Additional pick-up bar for two lifting points for AX-AE12S2, black	156 500

<b>EVENTSERIES (ACTIVE)</b>			
<b>MODEL</b>	<b>Code</b>		
EVENT-26A	10435010	Powered, 400 W, 2x 6", 2 way full-range, compact Line Array, black	536 000
EVENT-208A-115	10429020	Powered, 180 W (LF)+180 W (MF)+180 W (HF), 2x8", 3 way full-range, compact Line Array, 115 V, black	742 500
EVENT-208A-230	10429010	Powered, 180 W (LF)+180 W (MF)+180 W (HF), 2x8", 3 way full-range, compact Line Array, 230 V, black	742 500
EVENT-210A-115	10429040	Powered, 180 W (LF)+180 W (MF)+180 W (HF), 2x10", 3 way full-range, compact Line Array, 115 V, black	968 500
EVENT-210A-230	10429030	Powered, 180 W (LF)+180 W (MF)+180 W (HF), 2x10", 3 way full-range, compact Line Array, 230 V, black	968 500
EVENT-212A	10429230	Powered, 500 W (LF)+500 W (MF)+500 W (HF), 2x12", 3 way full-range, Line Array, black	1 530 500
EVENT-212.120A	10429232	Powered, 500 W (LF)+500 W (MF)+500 W (HF), 2x12", 3 way full-range, Line Array, 120° horizontal dispersion, black	1 530 500
EVENT-115A	10435050	Powered, 600 W, 15", arrayable bass-reflex subwoofer, black	649 500
EVENT-121A	10429240	Powered, 1600 W, 21", horn-bass extended subwoofer, black	1 530 500
EVENT-218A	10429060	Powered, 1800 W, 2x18", ground-stackable long excursion bass-reflex subwoofer, black	1 318 500
EVENT-M210A-115	10429220	Powered, 500 W, 2x10", 2 way full-range, stage monitor, 60x50 horn, 115 V, black	751 000
EVENT-M210A-230	10429210	Powered, 500 W, 2x10", 2 way full-range, stage monitor, 60x50 horn, 230 V, black	751 000

<b>ACCESSORIES</b>			
AX-COMBOEV1208	10102784	Rigging adaptor to combine EVENT-212A/EVENT-212.120A with EVENT-208A, black	226 500
AX-COMBOEV1210	10102786	Rigging adaptor to combine EVENT-212A/EVENT-212.120A with EVENT-210A, black	229 500
AX-EV26	10102365	Rigging bumper for EVENT-26A (max 16 u.), black	134 500
AX-EV208	10102720	Rigging bumper for EVENT-208A (max 16 u.), black	305 500
AX-EV210	10102730	Rigging bumper for EVENT-210A (max 16 u.), black	309 000
AX-EV212	10102734	Rigging bumper for EVENT-212A (max 16 u.), black	419 000
AXC-ZT	10104320	Speaker adaptor (required for TRD-2/TRD-6), black	15 500
AXS-EV26	10102366	Stacking bracket for EVENT-26A (max 4 u. when stacked on any sub), black	52 000
AXS-EV208	10102750	Stacking bracket for EVENT-208A (max 4 u./max 1 u. using TRD-6/TRD-2), black	126 500
AXS-EV210	10102760	Stacking bracket for EVENT-210A (max 4 u./max 1 u. using TRD-6/TRD-2), black	127 500
AXS-EV212	10102761	Stacking bracket for EVENT-212A/EVENT-212.120A systems above EVENT-218A or on the ground, black	155 000
FUN-TRD2	10103040	Protective transport cover for TRD-2, black	18 000
FUN-4-EV26	10103785	Protective transport cover for 4 u. EVENT-26A on PL-EV26S, black	81 000
FUN-6-EV26	10103784	Protective transport cover for 6 u. EVENT-26A on PL-EV26S, black	108 500
FUN-2-EV115	10103786	Protective transport cover for 2 u. EVENT-115A on PL-ICS15S, black	97 500
FUN-2-EV218	10103670	Protective transport cover for 2 u. EVENT-218A on PL-EV218S, black	188 000
FUN-2-EV121	10103632	Protective transport cover for 2 u. EVENT-121A on PL-EV121S, black	182 000
FUN-4-EV208	10103650	Protective transport cover for 4 u. EVENT-208A on PL-EV208S, black	133 000
FUN-4-EV210	10103660	Protective transport cover for 4 u. EVENT-210A on PL-EV210S, black	137 000
FUN-4-EV212	10103662	Protective transport cover for 4 u. EVENT-212A on PL-EV212S, black	163 500
JP-EV26	10102979	Joining plate for array assembling EVENT-26A/EVENT-115A, black	52 000
PICKUP-AX-EV208	10102770	Additional pick-up bar for two lifting points for AX-EV208, black	179 500
PICKUP-AX-EV210	10102780	Additional pick-up bar for two lifting points for AX-EV210, black	180 500
PICKUP-AX-EV212	10102782	Additional pick-up bar for two lifting points for AX-EV212, black	225 500
PIN-6	30002878	Lock Pin Ø:6 mm L:23 mm, black	10 500
PIN-6-W	30005381	Lock Pin Ø:6 mm L:23 mm, white	10 500
PIN-8	30002877	Lock Pin Ø:8 mm L:30 mm, black	11 000
PIN-8-W	30005382	Lock Pin Ø:8 mm L:30 mm, white	11 000
PL-EV26S	10113280	Steel transport dolly for EVENT-26A (max 4 u.), black	271 000
PL-EV208S	10113170	Steel transport dolly for EVENT-208A (max 4 u.), black	203 500
PL-EV210S	10113180	Steel transport dolly for EVENT-210A (max 4 u.), black	212 000
PL-EV212S	10113183	Steel transport dolly for EVENT-212A/EVENT-212.120A (max 4 u.), black	240 500
PL-EV115S	10113290	Wooden transport dolly for EVENT-115A (max 2 u.), black	170 500
PL-EV218S	10113190	Wooden transport dolly for EVENT-218A (max 3 u.), black	200 500
PL-EV121S	10113192	Wooden transport dolly for EVENT-121A (max 3 u.), black	186 000
TRD-2	10104010	Aluminum speaker stand for all models with 35mm pole mount socket, black	43 000
TRD-6	10104470	Ring lock pole mount 35 mm x 750 mm for use between satellite and sub system, black	40 500
TRD-7	10104471	Ring lock expandable (1005 -1485 mm) pole mount for use between satellite and sub systems, black	68 500

<b>CABLES</b>			
SC-1	20501020	1m XLR microphone signal balanced cable	11 000
SC-10	20501050	10m XLR microphone signal balanced cable	18 000
PWCNLINK-09	20502210	0.9m powerCON NAC3FCB cable	13 000

<b>HQ SERIES</b>			
<b>MODEL</b>	<b>Code</b>		
HQ-112.43-CX	10432080	Passive, 400 W, 12", 2 way full-range, bi-amped or passive, long throw mid-high, 40x30 rotatable horn, CX, black	1 608 500
HQ-112.43-DX	10432010	Passive, 400 W, 12", 2 way full-range, bi-amped or passive, long throw mid-high, 40x30 rotatable horn, DX, black	2 014 500
HQ-112.64-CX	10432090	Passive, 400 W, 12", 2 way full-range, bi-amped or passive, long throw mid-high, 60x40 rotatable horn, CX, black	1 561 000
HQ-112.64-DX	10432020	Passive, 400 W, 12", 2 way full-range, bi-amped or passive, long throw mid-high, 60x40 rotatable horn, DX, black	1 951 000
HQ-112.95-CX	10432100	Passive, 400 W, 12", 2 way full-range, bi-amped or passive long throw mid-high, 90x50 rotatable horn, CX, black	1 561 000
HQ-112.95-DX	10432030	Passive, 400 W, 12", 2 way full-range, bi-amped or passive long throw mid-high, 90x50 rotatable horn, DX, black	1 951 000
HQ-212.64-CX	10432180	Passive, 800 W, 2x 12", 2 way full-range, bi-amped or passive, long throw, 60x40 rotatable horn, CX, black	1 333 000
HQ-212.64-DX	10432175	Passive, 800 W, 2x 12", 2 way full-range, bi-amped or passive, long throw, 60x40 rotatable horn, DX, black	1 442 500
HQ-212.95-CX	10432181	Passive, 800 W, 2x 12", 2 way full-range, bi-amped or passive long throw, 90x50 rotatable horn, CX, black	1 333 000
HQ-212.95DX	10432176	Passive, 800 W, 2x 12", 2 way full-range, bi-amped or passive long throw, 90x50 rotatable horn, DX, black	1 442 500
HQ-218-CX	10432110	Passive, 2000 W, 2x18", ground-stackable long excursion bass-reflex subwoofer, CX, black	1 055 000
HQ-218-DX	10432040	Passive, 2000 W, 2x18", ground-stackable long excursion bass-reflex subwoofer, DX, black	1 318 500

<b>ACCESSORIES</b>			
ANL-2	10101020	Set of 4 M10x40 forged steel eyebolts+4 carabiners, for flying	18 000
AX-HQ-X12	10107001	Rigging bumper for HQ-112/HQ-212 (WLL=450kg), black	66 500
AXU-HQ212	10105144	"U" bracket, wall/ceiling/truss/tripod, for HQ-212.64/HQ-212.95, black	321 000
JP-HQ-212	10107002	Joining plate for array assembling HQ-212 (WLL=360kg), black	210 000
JP-HQ-112	10107003	Joining plate for array assembling HQ-112 (WLL=430kg), black	151 000
UFB	10105040	Universal Fly Bar, black, 16.5 kg (36.3 lb)	141 000

<b>QUANTUM SERIES</b>			
<b>MODEL</b>	<b>Code</b>		
Q-3-T	10434040	Passive, 20 W, 3", full-range, Aluminum enclosure, 70 V/100 V line transformer, black	69 500
Q-3-TW	10434010	Passive, 20 W, 3", full-range, Aluminum enclosure, 70 V/100 V line transformer, white	69 500
Q-23-T	10434050	Passive, 40 W, 2x3", full-range, Aluminum enclosure, 70 V/100 V line transformer, black	96 500
Q-23-TW	10434020	Passive, 40 W, 2x3", full-range, Aluminum enclosure, 70 V/100 V line transformer, white	96 500
Q-43-T	10434060	Passive, 80 W, 4x3", full-range, Aluminum enclosure, 70 V/100 V line transformer, black	160 500
Q-43-TW	10434030	Passive, 80 W, 4x3", full-range, Aluminum enclosure, 70 V/100 V line transformer, white	160 500
Q-10	10434079	Passive, 250 W, 10", bass-reflex subwoofer, black	181 000
Q-10-W	10434084	Passive, 250 W, 10", bass-reflex subwoofer, white	181 000
Q-10A	10434087	Powered, 250W, 10", bass-refl x subwoofer, black.	349 500
Q-10A-W	10434088	Powered, 250W, 10", bass-refl x subwoofer, white.	349 500
Q-83-T	10434068	Passive, 160 W, 8x3", full-range, Aluminum enclosure, 70 V/100 V line transformer, black.	319 500
Q-83-TW	10434069	Passive, 160 W, 8x3", full-range, Aluminum enclosure, 70 V/100 V line transformer, white.	319 500
Q-83-TC	10434070	Passive, 160 W, 8x3", full-range, Aluminum enclosure, 70 V/100 V line transformer, customizable color.	351 500
Q-8	10434075	Passive, 200 W, 8", bass-refl x subwoofer, black.	173 000
Q-8-W	10434076	Passive, 200 W, 8", bass-refl x subwoofer, white.	173 000

ACCESSORIES			
AXW-4	10104175	Wall mount bracket with vertical and horizontal angle adjustment for various models, WLL=6kgf, black	13 000
AXW-5	10104176	Wall mount bracket with a fixed 15° vertical angle for various models, WLL=6kgf, black	10 000
AXS-Q	10104178	Stacking bracket for Q-23-T, black	8 500
JP-Q	10102973	Joining piece for stacking/array assembling Quantum series,	9 000
JP-Q-W	10102974	Joining piece for stacking/array assembling Quantum series, white	9 000
KIT-IP-QUANTUM	10434090	IP66 kit for Q-3-T, Q-23-T, Q-43-T	5 000
KIT-IP-QUANTUM-W	10434091	IP54 kit for Q-3-T-W, Q-23-T-W, Q-43-T-W, white	5 000
AXU-Q10	10104177	"U" bracket, wall/ceiling/truss for Q-10, black.	91 500
AXU-Q10-W	10104179	"U" bracket, wall/ceiling/truss for Q-10, white.	91 500
ROAD SERIES (ACTIVE)			
MODEL	Code		
ROAD-12ALT-115	10418620	Powered, 770 W, 12", 2 way full-range, stage monitor, rotatable horn 60x40, Left, 115 V, black	993 000
ROAD-12ART-115	10418610	Powered, 770 W, 12", 2 way full-range, stage monitor, rotatable horn 60x40, Right, 115 V, black	993 000
ROAD-12ALT-230	10418605	Powered, 770 W, 12", 2 way full-range, stage monitor, rotatable horn 60x40, Left, 230 V, black	993 000
ROAD-12ART-230	10418600	Powered, 770 W, 12", 2 way full-range, stage monitor, rotatable horn 60x40, Right, 230 V, black	993 000
ROAD-12ALT-NET115	10418720	Powered, 770 W, 12", 2 way full-range, stage monitor, rotatable horn 60x40, Left, DASnet, 115 V, black	1 072 000
ROAD-12ART-NET115	10418710	Powered, 770 W, 12", 2 way full-range, stage monitor, rotatable horn 60x40, Right, DASnet, 115 V, black	1 072 000
ROAD-12ALT-NET230	10418700	Powered, 770 W, 12", 2 way full-range, stage monitor, rotatable horn 60x40, Left, DASnet, 230 V, black	1 072 000
ROAD-12ART-NET230	10418690	Powered, 770 W, 12", 2 way full-range, stage monitor, rotatable horn 60x40, Right, DASnet, 230 V, black	1 072 000
ROAD-15ALT-115	10418680	Powered, 770 W, 15", 2 way full-range, stage monitor, rotatable horn 60x40, Left, 115 V, black	1 042 500
ROAD-15ART-115	10418670	Powered, 770 W, 15", 2 way full-range, stage monitor, rotatable horn 60x40, Right, 115 V, black	1 042 500
ROAD-15ALT-230	10418660	Powered, 770 W, 15", 2 way full-range, stage monitor, rotatable horn 60x40, Left, 230 V, black	1 042 500
ROAD-15ART-230	10418650	Powered, 770 W, 15", 2 way full-range, stage monitor, rotatable horn 60x40, Right, 230 V, black	1 042 500
ROAD-15ALT-NET115	10418760	Powered, 770 W, 15", 2 way full-range, stage monitor, rotatable horn 60x40, Left, DASnet, 115 V, black	1 122 000
ROAD-15ART-NET115	10418750	Powered, 770 W, 15", 2 way full-range, stage monitor, rotatable horn 60x40, Right, DASnet, 115 V, black	1 122 000
ROAD-15ALT-NET230	10418740	Powered, 770 W, 15", 2 way full-range, stage monitor, rotatable horn 60x40, Left, DASnet, 230 V, black	1 122 000
ROAD-15ART-NET230	10418730	Powered, 770 W, 15", 2 way full-range, stage monitor, rotatable horn 60x40, Right, DASnet, 230 V, black	1 122 000
ACCESSORIES			
FUN-TRD2	10103040	Protective transport cover for TRD-2, black	18 000
FC-RD12A	10116070	Flight Case for ROAD-12A models (max 2 u.), black	329 000
FC-RD15A	10116060	Flight Case for ROAD-15A models (max 2 u.), black	329 000
TRD-2	10104010	Aluminum speaker stand for all models with 35mm pole mount socket, black	43 000
TRD-6	10104470	Ring lock pole mount 35 mm x 750 mm for use between satellite and sub system, black	40 500
TRD-7	10104471	Ring lock expandable (1005-1485 mm) pole mount for use between satellite and sub systems, black	68 500
DASNET ACCESSORIES			
DASNET-MATRIX99	20503150	PATCHbay for DASnet Systems, etherCon outputs (data+audio) 9 In/9 Out	385 000
DASNET-MATRIX99-ETH	20503112	PATCHbay for DASnet Systems, etherCon outputs (data+audio) 9 In/9 Out, Ethernet	443 000
DASNET-PATCH-26	20503030	PATCHbay for DASnet Systems etherCon outputs (data+audio) 2 In/6 Out	180 500
DASNET-PATCH-48	20503040	PATCHbay for DASnet Systems, etherCon outputs (data+audio) 4 In/8 Out	232 500
DASNET-PATCH-PW-9	20503155	Power PATCH for DASnet Systems, 9 x powerCON TRUE 1 (black-yellow) output	204 000
DASNET-PATCH-PWCON-230	20503050	Power PATCH for DASnet systems, 6 x NAC3MP8 powerCON outputs, 230 V	88 500
DASNET-RACK-26	20503070	Rack 1xDASNET-PATCH-26+1xDASNET-PATCH-PWCON+1xDISTRO-RACKNET	1 348 000
DASNET-RACK-48	20503080	Rack 1xDASNET-PATCH-48+1xDASNET-PATCH-PWCON+1xDISTRO-RACKNET	1 400 000
DASNET-RACK99-230	20503110	Rack 1xDASNET-MATRIX99+1xDASNET-PATCH-POWER-9+1xDISTRO-RACKNET-32-9	1 835 000
DASNET-RACK99-230-ETH	20503111	Rack 1xDASNET-MATRIX99-ETH+1xDASNET-PATCH-POWER-9+1xDISTRO-RACKNET-32-9	1 940 500
DASNET-SPLITTER	20503060	DASnet Splitter 1 In/3 Out for Audio+Data+Power, powerCON NAC3MP8	84 500
DASNET-SPLITTER-TR1	20503100	DASnet Splitter 1 In/3 Out for Audio+Data+Power, powerCON TRUE 1	98 500
DISTRO-RACKNET	30008273	19" 32A Power Distro+6 Shucko 16A	656 500
DISTRO-RACKNET-32-9	30006677	19" 32A Power Distro+9 Shucko 16A	656 500
RACK-10	30005363	Rack DAS Touring 10U	387 500
USB-485	20502310	KK Systems USB to RS-485 converter	107 000
LOUDSPEAKERS CABLES			
EC-09	20502110	0.9m CAT5e etherCON (data+audio) DASnet cable	21 500
EC-2	20502120	2m CAT5e etherCON (data+audio) DASnet cable	23 000
EC-20	20502130	20m CAT7 etherCON (data+audio) DASnet cable	183 500
ECP-3	20502060	3m Hybrid CAT7 etherCON (data+audio)+powerCON, DASnet cable	78 000
ECP-20	20502080	20m Hybrid CAT7 etherCON (data+audio)+powerCON, DASnet cable	216 500
ECP-30	20502070	30m Hybrid CAT7 etherCON (data+audio)+powerCON, DASnet cable	288 500
ECPK-1	20502090	1m Hybrid CAT7 etherCON (data+audio)+powerCON TRUE 1, DASnet cable	51 000
ECPK-5	20502100	5m Hybrid CAT7 etherCON (data+audio)+powerCON TRUE 1, DASnet cable	91 500
ECPK-20	20502180	20m Hybrid CAT7 etherCON (data+audio)+powerCON TRUE 1, DASnet cable	221 500
PLINK1-09	20502150	0.9m powerCON TRUE1 cable	13 000
SC-05	20501010	0.5m XLR microphone signal balanced cable	10 500
SC-1	20501020	1m XLR microphone signal balanced cable	11 000
SC-2	20501030	2m XLR microphone signal balanced cable	11 500
SC-5	20501040	5m XLR microphone signal balanced cable	13 000
SC-10	20501050	10m XLR microphone signal balanced cable	18 000
SPK8-1	20502010	1m speaker cable, 8x(2.5mm2), 2x NL8	27 000
SPK8-20	20502020	20m speaker cable, 8x(2.5mm2), 2x NL8	121 500
SPK8-25	20502030	25m speaker cable, 8x(2.5mm2), 2x NL8	143 500
SPECIAL APPLICATIONS			
MODEL	Code		
BIDRIVER-PLUS	10413020	Passive, 300 W, 10", long-throw mid-high coaxial speaker with 2" HF Exit, black	627 500
BIDRIVER-PLUS-T	10413030	Passive, 150 W, 10", long-throw mid-high coaxial speaker with 2" HF Exit, 70 V/100 V line transformer, black	659 000
FACTOR-8	10404090	Passive, 100 W, 8", 2 way full-range, polypropylene enclosure, black	94 000
FACTOR-8-T	10404100	Passive, 100 W, 8", 2 way full-range, polypropylene enclosure, 70 V/100 V line transformer, black	104 500
OVI-12	10404710	Passive, 300 W, 12", coaxial 2 way full-range, polypropylene enclosure, black	182 000
OVI-12-IP54	10404795	Passive, 300 W, 12", coaxial 2 way full-range, polypropylene enclosure IP54, black	202 500
OVI-12-T	10404730	Passive, 300 W, 12", coaxial 2 way full-range, polypropylene enclosure, 70 V/100 V line transformer, black	208 000
OVI-12-W	10404720	Passive, 300 W, 12", coaxial 2 way full-range, polypropylene enclosure, white	182 000
OVI-12-W-IP54	10404796	Passive, 300 W, 12", coaxial 2 way full-range, polypropylene enclosure IP54, white	202 500
ACCESSORIES			
AXW-1	10104140	Wall mount bracket and safety cable for various models, WLL=12kgf, black	20 500
AXC-OVI12-60	10105123	Ceiling tile panel adapter (Metric - 600x600mm) for OVI-12, black	33 000
AXC-OVI12-60W	10105130	Ceiling tile panel adapter (Metric - 600x600mm) for OVI-12-W, black	33 000
AXC-OVI12-120	10105125	Ceiling tile panel adapter (Metric - 600x1200mm) for OVI-12, black	54 000
AXC-OVI12-120W	10105131	Ceiling tile panel adapter (Metric - 600x1200mm) for OVI-12-W, black	54 000
AXC-OVI12-2FT	10105126	Ceiling tile panel adapter (US - 2x2 ft) for OVI-12, black	33 000
AXC-OVI12-4FT	10105127	Ceiling tile panel adapter (US - 2x4 ft) for OVI-12, black	54 000
AXW-OVI12	10105121	Wall mount bracket for OVI-12, black	64 500
AXW-OVI12-W	10105122	Wall mount bracket for OVI-12-W, white	64 500

VANTEC SERIES		
MODEL	Code	
<b>VANTEC SERIES PASSIVE</b>		
VANTEC-12	10431090	Passive, 500 W, 12", 2 way full-range, 90x50 horn, black
VANTEC-15	10431060	Passive, 500 W, 15", 2 way full-range, 90x50 horn, black
VANTEC-215	10431030	Passive, 1000 W, 2x15", 2 way full-range, 90x50 horn, black
VANTEC-18	10431110	Passive, 1000 W, 18", ground-stackable long excursion bass-reflex subwoofer, black
VANTEC-218	10431130	Passive, 2000 W, 2x18", ground-stackable long excursion bass-reflex subwoofer, black
<b>VANTEC SERIES ACTIVE</b>		
VANTEC-12A	10431070	Powered, 750 W, 12", 2 way full-range, 90x50 horn, LCD control interface+wireless, black
VANTEC-15A	10431040	Powered, 750 W, 15", 2 way full-range, 90x50 horn, LCD control interface+wireless, black
VANTEC-20A	10431095	Powered, 500 W (LF)+250 W (HF), 12", 2 way full-range, Curved Source, 90x15 horn, LCD control interface+wireless, black
VANTEC-215A	10431010	Powered, 1125 W, 2x15", 3 way full-range, 90x50 horn, LCD control interface+wireless, black
VANTEC-18A	10431100	Powered, 1000 W, 18", compact long excursion bass-reflexsubwoofer, black
VANTEC-118A	10431140	Powered, 1000 W, 18", long excursion bass-reflexsubwoofer, black
VANTEC-218A	10431120	Powered, 2000 W, 2x18", ground-stackable long excursion bass-reflexsubwoofer, black
<b>ACCESSORIES</b>		
ANL-2	10101020	Set of 4 M10x40 forged steel eyebolts+4 carabiners, for flying
AX-VT20	10102852	Rigging bumper for VANTEC-20A (max 5 u.), black
FUN-TRD2	10103040	Protective transport cover for TRD-2, black
FUN-VT12	10103710	Protective transport cover for 1 u. VANTEC-12/VANTEC-12A, black
FUN-VT15	10103720	Protective transport cover for 1 u. VANTEC-15/VANTEC-15A, black
FUN-VT215	10103730	Protective transport cover for 1 u. VANTEC-215/VANTEC-215A, black
FUN-VT18	10103740	Protective transport cover for 1 u. VANTEC-18/VANTEC-18A, black
FUN-VT218	10103741	Protective transport cover for 1 u. VANTEC-218/VANTEC-218A, black
PL-VT118S	10113270	Wooden transport dolly for VANTEC-118A (max 2 u.), black
PL-VT20S	10113260	Steel transport dolly for VANTEC-20A (max 4 u.), black
TRD-2	10104010	Aluminum speaker stand for all models with 35mm pole mount socket, black
TRD-6	10104470	Ring lock pole mount 35 mm x 750 mm for use between satellite and sub system, black
TRD-7	10104471	Ring lock expandable (1005 -1485 mm) pole mount for use between satellite and sub systems, black
<b>WR SERIES</b>		
<b>MODEL</b>		
WR-8826CX	10428010	Passive, 200 W, 2x6", 2 way full-range, 80x80 horn, CX, IP56, black
WR-8826TCX	10428030	Passive, 200 W, 2x 6", 2 way full-range, 80x80 horn, CX, IP56, 70 V/100 V line transformer, black
WR-8826DX	10428020	Passive, 200 W, 2x6", 2 way full-range, 80x80 horn, DX, IP56, black
WR-8826TDX	10428040	Passive, 200 W, 2x 6", 2 way full-range, 80x80 horn, DX, IP56, 70 V/100 V line transformer, black
WR-8826DXW	10428090	Passive, 200 W, 2x6", 2 way full-range, 80x80 horn, DX, IP56, white
WR-6412CX	10428050	Passive, 300 W, 12", 2 way full-range, 60x40 rotatable horn, CX, IP54, black
WR-6412DX	10428060	Passive, 300 W, 12", 2 way full-range, 60x40 rotatable horn, DX, IP54, black
WR-6412DXW	10428130	Passive, 300 W, 12", 2 way full-range, 60x40 rotatable horn, DX, IP54, white
WR-6415CX	10428070	Passive, 300 W, 15", 2 way full-range, 60x40 rotatable horn, CX, IP56, black
WR-6415DX	10428080	Passive, 300 W, 15", 2 way full-range, 60x40 rotatable horn, DX, IP56, black
WR-6415DXW	10428150	Passive, 300 W, 15", 2 way full-range, 60x40 rotatable horn, DX, IP56, black
WR-1215CX	10428232	Passive, 600 W, 12", compact arrayable subwoofer, CX, IP54, black
WR-1215DX	10428234	Passive, 600 W, 12", compact arrayable subwoofer, DX, IP54, black
WR-1215DXW	10428233	Passive, 600 W, 12", compact arrayable subwoofer, DX, IP54, white
WR-1515CX	10428190	Passive, 800 W, 15", compact arrayable subwoofer, CX, IP54, black
WR-1515DX	10428200	Passive, 800 W, 15", compact arrayable subwoofer, CX, IP54, black
WR-1515DXW	10428230	Passive, 800 W, 15", compact arrayable subwoofer, CX, IP54, black
WR-2185-DX	10428249	Passive, 1800 W, 2x 18", ground-stackable long excursion bass-reflex subwoofer, DX, black
WR-2185-DXW	10428250	Passive, 1800 W, 2x 18", ground-stackable long excursion bass-reflex subwoofer, DX, white
WR-320DX	10428242	Passive, 500 W, 2x 10", 2 way full-range installation Line Array, DX, black
WR-320-DXW	10428243	Passive, 500 W, 2x 10", 2 way full-range installation Line Array, DX, white
WR-3225DX	10428247	Passive, 800 W, 2x 12", compact arrayable band-pass subwoofer, DX, black
WR-3225DXW	10428248	Passive, 800 W, 2x 12", compact arrayable band-pass subwoofer, DX, white
WR-9606-CX	10428263	Passive, 100 W, 6", 2 way full-range, 90x60 horn, CX, IP56, black.
WR-9606-DX	10428264	Passive, 100 W, 6", 2 way full-range, 90x60 horn, DX, IP56, black.
WR-9606-TCX	10428265	Passive, 100 W, 6", 2 way full-range, 90x60 horn, CX, IP56, 70 V/100 V line transformer, black.
WR-9606-TDX	10428266	Passive, 100 W, 6", 2 way full-range, 90x60 horn, DX, IP56, 70 V/100 V line transformer, black.
WR-9606-DXW	10428267	Passive, 100 W, 6", 2 way full-range, 90x60 horn, DX, IP56, white.
WR-9606-TDXW	10428268	Passive, 100 W, 6", 2 way full-range, 90x60 horn, DX, IP56, 70 V/100 V line transformer, white.
<b>ACCESSORIES</b>		
ANL-2	10101020	Set of 4 M10x40 forged steel eyebolts+4 carabiners, for flying
AX-WR300	10102975	Rigging bumper for all models WR-320-FX/WR-3225-FX, black
AX-WR300-W	10102976	Rigging bumper for all models WR-320-DXW/WR-3225-DXW, white
AX-SPG1	10105050	28 mm TV clamp spigot adapter with M10 thread for AXU/AXF brackets
AXU-WR8826	10104700	"U" bracket, wall/ceiling/truss, for all WR-8826 models, black
AXU-WR8826-W	10104670	"U" bracket, wall/ceiling/truss, for all W versions of WR-8826 models, white
AXW-1	10104140	Wall mount bracket and safety cable for various models, WLL=12kgf, black
AXW-1-W	10104150	Wall mount bracket and safety cable for various models, WLL=12kgf, white
AXU-WR6412	10104710	"U" bracket, wall/ceiling/truss, for all WR-6412 models and WR-1215-FX, black
AXU-WR6412-W	10104680	"U" bracket, wall/ceiling/truss, for all W versions of WR-6412 models and WR-1215-FXW, white
AXU-WR6415	10104720	"U" bracket, wall/ceiling/truss, for all WR-6415 models and WR-1515-FX, black
AXU-WR6415-W	10104690	"U" bracket, wall/ceiling/truss, for all W versions of WR-6415 models and WR-1515-FXW, white
JP-WR320	10102977	Joining plate for array assembling WR-320-FX/WR-3225-FX (included with WR-320-FX), black
JP-WR320-W	10102978	Joining plate for array assembling WR-320-DXW/WR-3225-DXW, (included with WR-320-DXW), white
<b>ELECTRONICS</b>		
<b>DSP SERIES - DIGITAL SIGNAL PROCESSORS</b>		
<b>MODEL</b>		
DSP-23	11106070	2 In/3 Out fully configurable DSP, 3 full bandwidth parametric band EQ on each channel
DSP-226	11106000	2 In/6 Out fully configurable DSP, 5 full bandwidth parametric band EQ on each channel
DSP-2040	11105040	2 In/4 Out fully configurable DSP, 9 full bandwidth parametric band EQ on each channel
DSP-2060A	11105030	2 In/6 Out fully configurable DSP, 9 full bandwidth parametric band EQ on each channel, AudioCore/DASnet equipped
DSP-4080	11105060	4 In/8 Out fully configurable DSP, 9 full bandwidth parametric band EQ on each channel, AudioCore/DASnet equipped
<b>DX SERIES - AMPLIFIERS</b>		
<b>MODEL</b>		
DX-80-115	10716330	4-channel Class D (SMPS) amplifier, 2000 W @ 4ohm, 2U DIN, 115 V
DX-80-230	10716320	4-channel Class D (SMPS) amplifier, 2000 W @ 4ohm, 2U DIN, 230 V
DX-801-115	10716190	4-channel Class D (SMPS) amplifier with 4in / 8out DSP and DANTE inputs, 2000 W @ 4ohm, 2U DIN, 115 V
DX-801-230	10716180	4-channel Class D (SMPS) amplifier with 4in / 8out DSP and DANTE inputs, 2000 W @ 4ohm, 2U DIN, 230 V
DX-100-115	10716310	4-channel Class D (SMPS) amplifier, 2800 W @ 4ohm, 2U DIN, 115 V
DX-100-230	10716300	4-channel Class D (SMPS) amplifier, 2800 W @ 4ohm, 2U DIN, 230 V
DX-1001-115	10716170	4-channel Class D (SMPS) amplifier with 4in / 8out DSP and DANTE inputs, 2800 W @ 4ohm, 2U DIN, 115 V
DX-1001-230	10716160	4-channel Class D (SMPS) amplifier with 4in / 8out DSP and DANTE inputs, 2800 W @ 4ohm, 2U DIN, 230 V

<b>INTEGRAL SERIES</b>		
<b>MODEL</b>	<b>Code</b>	
INTEGRAL-A402	10721090 2-channel 200 W @ 4 ohm or 1-channel 400 W @ 100 V amplifier, 1U DIN	393 000
INTEGRAL-A404	10721100 4-channel 100 W @ 4 ohm or 2-channel 200 W @ 100 V amplifier, 1U DIN	506 500
INTEGRAL-A1002	10721110 2-channel 500 W @ 4 ohm or 1-channel 1000 W @ 100 V amplifier, 2U DIN	398 000
INTEGRAL-A1004	10721120 4-channel 250 W @ 4 ohm or 2-channel 500 W @ 100 V amplifier, 2U DIN	527 500
INTEGRAL-A1602	10721130 2-channel 800 W @ 4 ohm or 1-channel 1600 W @ 100 V amplifier, 2U DIN	552 000
INTEGRAL-A1604	10721140 4-channel 400 W @ 4 ohm or 2-channel 800 W @ 100 V amplifier, 2U DIN	652 500
INTEGRAL-WA2	10721060 2 channel amplifie , wall-panel format, 25 W per channel @ 4 ohms 10721060	31 500
INTEGRAL-WA4	10721070 4 channel amplifie , wall-panel format, 25 W per channel @ 4 ohms	40 500
INTEGRAL-MA1004	10721150 4 CH Matrix amplifie , integrated DSP, 250 W per channel @ 4 ohms	758 000
INTEGRAL-MA1604	10721160 4 CH Matrix amplifie , integrated DSP, 400 W per channel @ 4 ohms	888 500
INTEGRAL-M88	10721170 8 CH Matrix, integrated DSP, 4 independent analog inputs, 8 Analog output channels, 4 x 4 CH DANTE digital audio	561 000
INTEGRAL-AS2	10721050 Dual channel stereo professional audio source, FM/AM tuner, USB slots, BT wireless and CD	176 000
INTEGRAL-MC01	10721010 Electret condenser microphone, 12-48Vdc Phantom Power	46 000
INTEGRAL-MC02	10721020 Dante enabled electret condenser microphone, Powered by PoE	165 500
INTEGRAL-WPM1	10721180 2-channel mixer, wall panel format	35 000
INTEGRAL-VC1	10721080 Volume Control to be used with 100V / 70V lines	37 000
INTEGRAL-WP3	10721200 7" capacitive touch screen panel, Control and management of integral devices via OSC, Single drop PoE cabling	267 500
<b>PA SERIES - AMPLIFIERS</b>		
<b>MODEL</b>	<b>Code</b>	
PA-500	10717100 2-channel amplifier, 250 W @ 4 ohm, 2U, 230 V	147 500
PA-900	10717110 2-channel amplifier, 450 W @ 4 ohm, 2U, 230 V	208 000
PA-1500	10717120 2-channel amplifier, 750 W @ 4 ohm, 2U, 230 V	234 000
PA-2700	10717130 2-channel amplifier, 1350 W @ 4 ohm, 2U, 230 V	395 000
PA-4000	10717140 2-channel amplifier, 2100 W @ 4 ohm, 2U, 230 V	534 000